

Splash protection Soldering



- For carpentry, blacksmithing.
- Anti-adhesive liquid that prevents the fusion of weld spatter on the surface around the area to be welded.
- If sprayed on the nozzles of welding, it prevents seizure.
- It does not contain silicone or products that prevent the adhesion of paints, galvanizing, etc..
- Create an anticorrosive film, as long as the product is not removed.
- To be used preferably with our regulator pressure Meccanocar code: 4110001205.

Code	Desc.	Cont. Lt
4110017060	4195	5

anti-slag pasta



CHARACTERISTICS

- Anti-slag pasta based soldering of pure greases in aqueous solution, completely free of silicones and chlorinated.
- It prevents the adhesion of weld spatter in spouts of electric welders.
- Product absolutely nonflammable, vapor almost nonexistent, odorless.

HOW TO USE

- Directly immerse the tip of the welding gun, hot, in the product, which will settle forming a protective film on the outside and the inside of the spout.
- **Suitable for all types of torches jumpers in wire and process tig.**

Code	Desc.	Content gr.	Color
4110015230	2874	300	GREEN

Pastasalda



- E' un disossidante per saldature a stagno.
- Va applicata una piccola quantità di prodotto sulle parti da unire per saldatura.
- Evita l'ossidazione e la formazione di scaglie dal processo di saldatura eseguito con stagno a filo, favorendo la perfetta esecuzione.
- Prodotto adatto in ogni campo di applicazione: elettrica, meccanica, idraulica, ecc.

APPLICAZIONE:

- Scaldare leggermente le parti da unire, stendere su di esse un po' di pastasalda indi applicare lo stagno.

Code	Desc.	Content gr.
4110009000	2675	75

Splash protection water based for welding



- **CHARACTERISTICS:**
- Not inflammable product water-based protection from weld spatter of welding nozzles and weldments.
- Forms a very thin film and transparent that prevents seizure of the droplets of solder on any media or corrosion by chemical agents.
- Thixotropic product, sprayed from a suitable distance, not drip even when applied to vertical surfaces.
- The product is free of silicones, which allows any subsequent processing such as painting, galvanizing, etc.. no problem.
- **HOW TO USE:**
- Spray the product from a distance of about 20 cm. on the part to be treated, metal, nozzles, spouts, etc.
- **CAUTION:** Spray the product only on the points where you should not be welded. Free up the tract that affects the weld.

Code	Desc.	Content ml
4110015235	2875	400

Splash protection solder non-silicone



- It protects surfaces from weld spatter.
- It prevents weld spatter (splinters) to pause on the nozzles of welding.
- It forms a thin film that protects the treated parts by the formation of oxide.
- It decreases the effect of blooming that is created when you operate welding stainless steel.
- Does not contain silicone, it allows for the immediate treatment of the surface welded during painting or galvanizing.
- Allow to dry before processing.

Code	Desc.	Content ml
4110014660	2744	400

Flame protection glasses



- Sunglasses classic plastic soft green with round lenses with protection DIN 5.
- Built in accordance with EN 166.
- Available replacement lenses \varnothing 50 mm.

Code	Desc.	Model
4020004000	1104280	Glasses complete
4020006900	1104462	Couple lens replacement

Protective glasses for grinding / welding



- Glasses with clear lenses and protective lenses folding fixed.
- Highly practical for welding and grinding operations simultaneously, protection of green DIN 5 lenses, oxy-gas cutting and welding.
- Mask equipped with valves ventilation to prevent fogging.
- Built in accordance with EN 166.

Code	Desc.	Model
4020004020	1104298	Protection glasses
4020004100	1104454	Couple transparent protective lenses
4020006900	1104462	Couple protective lenses DIN 5

Glass parts for welding masks



- Protective glasses for welders' masks with window size 75x98 mm in accordance with DIN.
- Transparent and available for protection adiacinic varying degrees DIN.

Code	Desc.	Color	Degrees DIN
4020002500	307	Transparent	- - - -
4020002600	026	Adiacinic	11
4020002605	026S	Mirrored	12
4020002607	027S	Mirrored	13

Mask by hand for welding



- Welding shield, curved model with anatomic grip plastic.
- Construction cellulose fiber glare riveted with quick glass of protection.
- Window size 75x98 mm in accordance with DIN.
- Supplied without glass.
- Complies with CE and EN 175.

Code	Desc.
4020003000	903

Welding helmet for welding



- Protective helmet for welding polypropylene, designed to offer maximum protection in the solder that you can not stand the classical mask with your hands.
- Quick fixing of the protective glass, adjustable headrest for the best comfort at work.
- Window size 75x98 mm in accordance with DIN.
- Supplied without glass.
- Complies with CE standards.

Code	Desc.
4020003010	904

Welding mask automatic darkening



- Exclusive mask optoelectronics with cell patented automatic darkening with unique degree of 11 DIN.
- Cell block inviolable and fully waterproof and shock resistant.
- Perfectly impervious to fluids, to welding fumes, dust and sweat.
- Protection level at rest DIN 3, darkening to DIN 11 in time of 0.5 milliseconds.
- Maximum freedom 'of movement even in very challenging work.
- Complies with DIN - EC, EN 166-379.

Code	Desc.	Model
4020015100	13311	Optoelectronics mask
4020002610	090	Protective glass 90x110 mm outer
4020002620	091	Protective glass 46x110 mm internal

Darkening welding mask for automatic adjustment



- Exclusive mask optoelectronics with cell patented automatic darkening degree adjustable with continuity 'from 9 to 13 DIN.
- Cell block inviolable and fully waterproof and shock resistant.
- Perfectly impervious to fluids, to welding fumes, dust and sweat.
- Protection level at rest DIN 3, darkening over time of 0.5 milliseconds adjustable from outside via potentiometer.
- Maximum freedom 'of movement even in very challenging work.
- Complies with DIN - EC, EN 166-379

Code	Desc.	Model
4020015000	13310	Optoelectronics adjustable mask
4020002610	090	Protective glass 90x110 mm outer
4020002620	091	Protective glass 46x110 mm internal

Apron crust for welders



- Smock completely crust for welders, CE mark.
- Format 60x90 cm / C.

Code	Desc.
4720008200	193

Gloves in crust for welders



- Glove crust full of seam-fully lined inside with cotton fabric.
- It allows to handle with dexterity tools for welding.
- According to the EC, category 2.

Code	Desc.
4460007400	4017

Gaiters crust for welders



- Protective gaiters totally crust for welders.
- Velcro straps, which greatly simplifies the operations of the shoe.
- In conformity with EN 470.

Code	Desc.
4460008895	4221

Protection blanket sparks



- Spark-proof blanket / fireproof.
- Produced in glass fiber, it ensures total protection during the grinding operations and appuntatura in the workshop and bodywork.
- 2x1 m size.

Code	Desc.	Formato m
4770001830	183	2 x 1