

## Meccanocar pressurized sprays



- Pressurized sprays for liquid products, available in two versions:
  - 1 small with capacity 1.000 ml and gun distribution
  - 2 big with capacity 1.800 ml with pressurization and continuous distribution.
- Produced with first-rate materials, resisting to the products of widest consumption. Semitransparent body to see the exact quantity of liquid present inside the viton or gaskets allow the use of these sprays with the most part of technical products sold in drums. In particular, these gaskets have a very good resistance to: mineral oils and greases, hydraulic liquids hardly inflammable of the HFD group, silicone oils and greases, animal and vegetal fats, aliphatic hydrocarbons (for ex. gasoline, butane, propane, methane, etc.), aromatic hydrocarbons (for ex. benzole, toluol),

Code	Desc.	Content ml
4110001201	2003	1.000
4110001205	2004	1.800

Spare Parts		
Code	Content. Parts for dispensing 1.8 liter 411 00 01205-2004	Description
4110001206	Kit with NBR seals, nozzle, filter and non return valve	2004G

## Pressure regulator Heavy Duty



- Pressure regulator professional rugged construction and modern, ideal for the application and use with aggressive technical products such as cleaners, brake, penetrating, solvents, petroleum products.
- Suitable for all applications in every field of work, where they require strength and reliability 'absolute.
- Capacity 'of the product within maximum 1 liter. Container and head reinforced nylon, high pressure seal, inner seals and valves in FPM, regulator adjustable fan jet or needle valve, pressure relief after work.
- Supplied with neutral labels for identification of the product inside.

Code	Desc.	Content ml
4110000310	1002	1.000

Spare Parts		
Code	Content	Description
4110000315	Kit complete with FPM seals nozzle, filter and check valve	1002G
4110000320	Canula of rigid extension	1002C

## Dispenser pressure Foamy



- Dispenser professional pressure of rugged construction and modern, equipped with lance for foam formation effect snow for detergents.
- Suitable for all applications in every field of work, where they require strength and reliability 'absolute.
- Capacity 'of the product within maximum 1 liter. container and head reinforced nylon, high pressure seal, inner seals and valves EPDM used with cleaning products containing surfactants and alkaline substances.
- Supplied with neutral labels for identification of the product inside

Code	Desc.	Cont. ml
4110000330	1003	1.000

Spare Parts		
Code	Content	Description
4110000335	Kit of EPDM seals	1003G

## Spray cans rechargeable metal-pressurizable



Code	Desc.	Cont. max	Corpo bombola	Dimensions h x Ø mm	Weight gr.
4110000350	1004	650 ml	Aluminum	280 x 65	190
4110000360	1005	650 ml	Stainless steel	270 x 70	435

Spare Parts		
Article	Code	Desc.
Dispensing button fold extension	4110000370	1006
Compressed air charging valve	4110000380	1007

- Cylinders spray refillable, pressurizable through common compressed air, suitable for the environmentally friendly use of liquid chemical products of all kinds, lubricants, penetrating oils, detergents, solvents, or just to blow, with button with metallic extension.
- Suitable for use in all workshops of any kind. Avoid the expense of classical spray, being able to use the active substance at 100% and avoiding solvents, also avoid the cost of disposal of exhausted aerosols, allowing a huge money saver. Facilitate the storage of the material avoiding the need to keep a large number of spray bottles in warehouses.
- Completely made in metal of two types: aluminum lined or stainless steel. The aluminum cylinders are recommended for use with solvent-based products such as unlocking, degrippanti, lavamotori, parts washer, brake cleaners, etc. The stainless steel tanks are particularly suitable for aggressive cleaning products such as two-component, lavateloni, lavacerchi, remove insects, usually water-based detergents.
- Extremely safe and reliable, have special seals impervious to all chemicals even aggressive, they load Max with 650 ml of liquid product (About 2/3 of the bottle) and put under pressure by a common inflator to the maximum pressure of 6.3 bar. In the event of excess pressure a safety valve discharges the excess air to ensure the safety.
- They work in all positions, even upside down. Straight Key has a fan jet, while raising the extension of steel you get a very precise needle jet and the long-range.
- Supplied with labels to write on the product contained within.

## Nebuliser



- Container with trolley.
- With spiral and head with adjustable nozzle.
- Permits nebulisation of detergents poured into tank.
- With funnel for ease of filling.
- Capacity 24 lt.

Code	Desc.	Characteristics
4430045610	599	NEBULISER

Spare Parts		
Code	Desc.	Features
4430045611	599/1	sprayer replacement
4430045612	599/2	nozzle for sprayer
4430045613	599/3	spiral with fittings
4700004813	2588RF	fixed wheel
345RC03770	377	monometer replacement Ø 63 CEE
1760028070	6630 10-1/4	junction at "L" 1/4 for tubes 8X10

## Nebulizer stainless steel



- Nebulizer trolley with filling funnel and gauge constructed entirely of stainless steel. Shown to contain corrosive liquids and corrosive, impossible to use with classic nebulizers iron.
- Use by anyone for spray cleaning liquids also basic or acidic, absence of formation of rust even if they are left inside the liquids used for a long time.
- Tank capacity of 24 liters, equipped with pressure gauge domestic steel lance with shockproof handle, quick series Italy to commission pressure, support the launch with the collection cup drips.
- size; A: 310 mm. B: 370 mm. C: 805 mm. Weight 13 kg.

Code	Desc.
4430056955	1804

Spare Parts		
Article	Code	Desc.
Spear parts (complete with nozzle)	4430045611	599/1
Spare nozzle for lance	4430045612	599/2
Spiral with fittings	4430045613	599/3
Spare wheel	4700004813	2588RF

## Cartridge gun type silicon



- Technical features section Equipment Manual - Specific equipment for bodywork and workshop

Code
4430039810-443

## Cartridge gun type silicone bags and 400 ml



- Technical features section Equipment Manual - Specific equipment for bodywork and workshop

Code
4430039850-443

## Cartridge gun type silicon



- Technical features section Equipment Manual - Specific equipment for bodywork and workshop

Code
4430039800-443P

## Caulking gun cartridges



- Technical features section Tools electric and pneumatic - Pneumatic tools

Code
3450001540-1160

## Mastic gun spraying and tang



- Technical features section Tools electric and pneumatic - Pneumatic tools

Code
3450003919-6006

## Cartridge gun-component 50ml



- Gun universal for any type of two-component cartridge 50 ml.
- The thrust mechanism completely in steel and the construction in reinforced nylon fiber glass give the product a particular impact resistance, wear and a considerable capacity 'thrust making the operator's work easier.



Particolare del meccanismo di spinta

Code	Desc.
3450010770	310

## Pistola manuale per sigillanti in sacchetto 600 ml



- Pistola manuale professionale per l'applicazione di sigillanti in sacchetto con capacità fino a 600 ml. Costruita appositamente per l'estrusione anche di prodotti ad alta viscosità.
- Indicata per tutti i settori lavorativi: autocarrozzerie, trasformazione di veicoli, costruzione e posa infissi, carpenterie industriali, ecc.
- Impugnatura rivestita antiscivolo, frizione ed asta di spinta in acciaio temprato, tubo e ghiera di chiusura in alluminio. Rapporto di spinta 18:1.
- Peso: 1,17 Kg.

Code	Desc.
4430039880	443/600

## Pneumatic gun for sealants in bag 600ml



- Pneumatic gun with large thrust force for the application of each type of silicone sealant in 600 ml bags, with adjustment of the pressure and of the sealant output speed..
- Robust and reliable tool suitable for use in all machining areas that provides the application of sealants of all types: body shops, transformation means, construction and installation of fixtures, plumbing, carpentry, construction in general, etc..
- Built entirely of aluminum, including closure ring nuts, operation with internal piston thrust, comfortable and balanced central grip, microcontroller pressure for the speed adjustment.
- The machine has a discharge valve to prevent the leakage of sealant, at the end of the use. It can work with any type of bag of diameter 50-51 mm in length and up to a maximum of 335 mm. Uses standard extrusion nozzles supplied with bags.

Code	Desc.
3450010830	312

Tecnical Features	
Lunghezza tubo corpo macchina	400 mm
Db (A)	<80 dBA
Weight	1,3 Kg
Air inlet thread	1/4" gas male
Pressione di lavoro	4 - 8 bar
Massima forza di spinta (@ 8 bar)	160 Kgf - 1569 N

## Gun battery sealant 310-400 ml 3.6V-1.5Ah



- Technical features section Tools electric and pneumatic - Electric Tools

Code
4170020070-EY3610-LA1J

## Gun battery sealant 310-600 ml 14,4V-4,2Ah



- Technical features section Tools electric and pneumatic - Electric Tools

Code
4170020080-EY3641-LS1S

## Gun battery sealant 290-310 ml 14,4V-4,2Ah



- Technical features section Tools electric and pneumatic - Electric Tools

Code
4170020090-EY3640-LS1S

## Straight nozzle for sealants



- Straight exchange nozzle for plastic cartridges.
- Can be easily cut to conform to any diameter and shape.

Code	Desc.
4110017270	4300D

## Nozzle for sealants V-shaped for glass



- V-shaped nozzle and support bar for the application of glues on glass.
- Suitable for plastic cartridges.

Code	Desc.
4110017280	4300V

## Spray sealant nozzle



- Wide-base nozzle for the application of ms polymer polyurethane spray sealants, such as our art. 411 00 15000-2812.
- Can be used as a replacement for our pneumatic gun code 345 00 03919-6006.

Code	Desc.
4110017290	4300S

## Flat beading nozzle for sealants



- Universal nozzle with wings; can be cut easily and suitable for plastic cartridges.
- The support that is created using the wings help the operator to recreate a beading that is the same as the original.
- Cut the nozzle on the basis of the piece to be sealed. Bend the wing to create the support for the support.
- Extrude the sealant.

Code	Desc.
4110017300	4300A

## Adapter for sealants in bag



- Adapter applicable on guns for extruding sealants in bags (see our codes 4430039850, 3450003919, 4170008600).
- There it can 'screw on the nozzle can be rotated 360 ° cod 411 00 19260, the tube extension cod 411 00 19265, the spout right code 4110017270 and the nozzle plate to curb 4,110,017,300.
- Used worldwide in all sectors of employment and where 'necessary to apply silicones and sealants: bodywork, construction, window fitters, heating and plumbing.
- Reclosable cap cod. 4110019275 to prevent air, dust and dirt from damaging the material inside the cartridge. Hood sold separately.

Code	Desc.	Article	Length mm
4110019270	5905AD	Adapter for sealants in bag	109

## Dust cap



- Screw-on the adapter for sealants in bag cod 4110019270, and all cartridges in plastic.
- Ideal for storage of all types of sealants and silicones after use. Prevents air, dust and dirt from damaging the cartridge and will deteriorate the product.

Code	Desc.	Article
4110019275	5910C	Dust cap