

### Cutter anti-shock



- Metal body with protections in ABS.
- Vessel with three blades incorporated.
- With broken blade.

Code	Desc.
4430027598	342/9

Spare Parts			
Article	Code	Description	H blade mm
REPLACEMENT BLADES	4430027601	342/1	9

4

### Cutter anti-shock



Rotella per blocco lama

- Metal body with protections in ABS.
- Tank with 5 blades embedded.
- With broken blade.

Code	Desc.
4430045478	588/18

Spare Parts			
Article	Code	Description	H blade mm
REPLACEMENT BLADES	4430045481	588/1	18

### Cutter professional aluminum



- Slip grip cast aluminum coated in rubber.
- Stainless steel body.
- Autoloader for 6 blades (42 cutting features without recharging).
- Comes with 5 blades.
- Additional screw for the locking device for the blade.

Code	Desc.	H blade mm
4430049265	909	18

Spare Parts			
Article	Code	Description	H blade mm
LAME RICAMBIO	4430045481	588/1	18

## Cutter extra long



- Cutter Professional extra long, size 280 x 40 x 20 mm. Useful to carry out work in otherwise unreachable points.
- Used successfully in all fields of work, is indispensable in vehicle when replacing the crystals glued, lets get to cut the old caulk in places where you can not access to other tools or cutting wires.
- It comes with a blade.

Code	Description
4430055815	1520 Cutter Extra-long
4430045481	588/1-Replacement blades h. 19 mm

## Cutter accident prevention



- Cutter retractable blade, the blade at rest remains completely within the body and must be the operator to operate the knob pops out. The blade that is connected to the internal device using a spring, falls automatically as soon as the operator lifts the finger from the knob.
- With recess which he leaves uncovered a portion of the blade that can be employed without any risk of the operator for cutting wires or synthetic strapping.
- The body of the cutter may contain 5 spare blades. Supplied with 1 blade cutter.
- The cutter accident prevention is recommended for all those who use this type of tool without risk of cutting too deep.

Code	Description	Replacement blades
4430056530	1764	4770002386-238T

## Cutter with a blade 25mm



- Cutter for cutting of materials also thick as compressed cardboard and strapping polyethylene.
- The blade thickness from 0,7mm confers a high resistance to breakage.
- Tool suitable for warehouse workers and receptionists goods.
- Supplied with a blade.
- With cutter wheel for locking the opening / closing of the blade and with a small magnet in the back for use as a magnet for picking up small metal objects.

Code	Description
4430056540	1765

Spare Parts			
Article	Code	Description	H blade mm
REPLACEMENT BLADES	4430056550	1765L-Series 10 pc	25

## Jack knife



- Knife with blade in opaque stainless steel.
- Aluminium handle with clip on the rear.
- Equipped with a blocking mechanism.
- Practical and easy to use tool. Useful for all work activities.

Code	Description	L1 mm	L2 mm
4430058000	1778-Jack knife	112	188

## Cutting Kit



- Carrying case containing:
  - 1 cutter with metal body.
  - 1 straight handle port blades and blades of various shapes (for type 5) for various types of work.
- With the straight handle it is possible, thanks to the blades of different shapes perform the work of cutting and scraping.
- Ideal for cutting jobs of rubber profiles, seals, paper and cardboard, strapping etc.

Code	Desc.	Type
4770002380	238	CUTTING KIT

Spare Parts		
Article	Code	Description
LAMA RICAMBIO 12mm Conf. 10pz	4770002382	238 - 12
LAMA RICAMBIO 16mm Conf. 10pz	4770002383	238 - 16
LAMA RICAMBIO 20mm Conf. 10pz	4770002384	238 - 20
LAMA RICAMBIO 16mm-53° Conf. 10pz	4770002385	238 - 16-35°
TAGLIERINA Conf. 10pz	4770002386	238 - T
IMPUGNATURA DRITTA	4770002388	238 - IMP
CUTTER	4770002389	238 - C

## Scissors for electricians straight type



- Special steel blade with serrated.
- Burnished blade.
- Anatomic grip, handle made of cellulose acetate.

Code	Desc.	L. tot.
4430002600	189	140 mm

## Scissors for electricians type folded



- Special steel nickel.
- Anatomic grip, handle made of cellulose acetate.

Code	Desc.	L. tot.
4430002610	189P	140 mm

## Electrician scissors



- 440 stainless steel blades.
- Blade hardness 52 / 54HRC.
- With micordentatura and cutter.
- Handles two-component increased section.
- With nut adjustable.

Code	Desc.	L. tot.
4430002604	189B	145 mm


## Electrician scissors



- Straight blade.
- Stainless steel blades ultra light.
- With micro-toothing for precise cuts and particularly difficult.
- Handles in ABS with oversized rings for better grip.

Code	Desc.	L. tot.
4430002602	189A	145 mm

## Electrician's scissors, straight cut



- Scissor professional electrician, allows fast, clean cuts.
- AISI 420 stainless steel blade HRC 56, with double heat treatment to give it greater hardness. Finely serrated blade slip.
- Nylon handles reinforced with fiberglass. The handholds allestemit of the eyelets, allow the user to make more pressure with the finger during cutting.
- With adjustable screw and nut.

Code	Desc.	L. tot.
4430002611	189KA	145 mm

## Multipurpose shears



- Straight blade stainless steel of considerable thickness.
- Serrated.
- Polypropylene handles.
- Especially recommended for its robustness and manageability in all areas for cutting paper-cardboard-strapping-wire-cables in steel-etc.

Code	Desc.	L. tot.
4430002606	189C	190 mm

## Multipurpose scissors



- Professional.
- Stainless steel blade.
- Coated handles.
- For cutting paper, cardboard, carpet and fabric.
- With adjustment nut x.
- Blade length 90 mm.
- High cutting capacity.

Code	Desc.	L. tot.
4430027510	342CV	220 mm

## Die-cutting pliers



- Drilling of gaskets, paper, cardboard, leather.
- Body in chromed steel.
- Equipped with 6 punches.

Code	Desc.	Ø mm
4430016800	264	2-2,5-3-3,5-4-4,5

## Manual deburring



- Hand tool ideal for all those deburring and finishing of holes and edges.
- Field of use: carpentry, joinery, electrical and thermo-sanitary maintenance.
- For materials: plastic pipes, steel, copper; steel sheets, aluminum, copper, and plates made of plastic material.
- Features: possibility of drill holes both inside and outside.
- The mobility of the blade allows it to fit on each of the edges.
- Blades made of special steel with a high content of carbon, and heat treated to improve the cutting edge.
- Lightweight and practical.
- Solid ergonomic plastic, resistant to shocks and falls.
- With inner rod telescopic, for deburring holes and particular difficult to reach.
- Internal reservoir for spare blades. Reamer supplied without blades.

Code	Desc.	Utilization
4430053610	1072	Deburring with telescopic
4430053620	1073/1	HSS blade for steel, aluminum and plastic
4430053630	1073/2	HSS blade, for smudging int / east to 4 mm

## Scraper at knife



- With interchangeable blade.

Code	Description
4430045285	559 SCRAPER
4430045295	561 SERIES 10 BLADES

## Scraper at knife



- Long handle.
- Interchangeable.
- Ideal to remove glue, labels and stickers from the windows.

Code	Description
4430045290	560 SCRAPER
4430045295	561 SERIES 10 BLADES

## Scraper by spatula



- Large work surface.
- Ideal for removing residues of seals from windows and profiles.

Code	Desc.
4430045300	562

4

## Cut and trim silicones and sealants



- Simple and essential tool that allows you to cut and easily delete all adhesives, silicones and sealants of all kinds, dried, by so fast corners and without any residue.
- Indispensable in Replacement Glass operations on frames of all kinds, wood, PVC or metal, also excellent in removing old sealants body repair, transformation of vehicles in factories, construction and repair of motor homes and caravans.
- Article built in special polymer "POM", resistant and wear-resistant, sharp and durable cutting edges, the back of a spatula and serrated for the removal of final residues.
- It allows the perfect cleaning of the joints, removing all traces of old sealant mechanically, allowing removal of glazing or panels to be replaced cleanly and promptly without scratching the paint or sensitive surfaces. It is used with a single hand in a simple manner.
- Dimensions: 212 X 34 X 25.5 mm. Weight 40 grams.

Code	Desc.
4770006540	741