

## Serie dischi abrasivi velcrati (Ø 150)

- AMPIA GAMMA DI DISCHI ABRASIVI A SUPPORTO FLESSIBILE DI DIAMETRO 150 IDONEA PER OGNI TIPO DI LAVORAZIONE.
- TRE FAMIGLIE DI DISCHI PER SODDISFARE QUALSIASI TIPO DI NECESSITA'.

	INDICATI PER:	VANTAGGI E CARATTERISTICHE:
<b>SERIE SUN</b>	CARROZZERIE AUTO/V.I., NAUTICA LAVORAZIONI DEL LEGNO (DURO)	<b>ALTA CAPACITA' D'ASPORTAZIONE</b> LA CARTA UTILIZZATA E' IN OSSIDO D'ALLUMINIO TRATTATA CON UNA SPECIALE ED INNOVATIVA STEARATURA CHE LA RENDE PIU' PERFORMANTE. <b>LUNGA DURATA DEL PRODOTTO</b> L'ABRASIVO E IL SUPPORTO DEL DISCO SONO ACCOPPIATI MEDIANTE UNO SPECIALE TRATTAMENTO CHE RENDE PIU' ELASTICO IL PRODOTTO E PIU'RESISTENTE SULLE SUPERFICI CURVE.
<b>SERIE MOON</b>	INDUSTRIA E LAVORAZIONI DEL METALLO E DEL LEGNO	<b>ALTA CAPACITA' D'ASPORTAZIONE</b> LA CARTA UTILIZZATA E' IN OSSIDO D'ALLUMINIO ESTREMAMENTE PERFORMANTE. LA VERSIONE A 7 FORI RENDE IL PRODOTTO VALIDO PER LAVORAZIONI ESTREMAMENTE RAPIDE. <b>AMPIA GAMMA D'UTILIZZO:</b> LA CARTA UTILIZZATA E IL SUPPORTO PERMETTONO DI POTER UTILIZZARE IL PRODOTTO SU VARIE TIPOLOGIE DI MATERIALI E LAVORAZIONI.
<b>SERIE MARS (TOP DI GAMMA):</b>	AUTOMOTIVE E NAUTICA, NELLE GRANE FINI PER QUALSIASI LAVORAZIONE DOVE SIA RICHIESTA UNA EFFICACE FINITURA	<b>ALTA CAPACITA' D'ASPORTAZIONE</b> LA CARTA UTILIZZATA E' IN OSSIDO D'ALLUMINIO TRATTATA CON UNA SPECIALE ED INNOVATIVA STEARATURA CHE LA RENDE PIU' PERFORMANTE. <b>AMPIA GAMMA D'UTILIZZO:</b> LA CARTA UTILIZZATA E IL SUPPORTO PERMETTONO DI UTILIZZARE IL PRODOTTO SU VARIE TIPOLOGIE DI MATERIALI E LAVORAZIONI, IN PARTICOLARE PER LE OPERAZIONI DI FINITURA CON GRANE FINI. <b>LUNGA DURATA DEL PRODOTTO:</b> LA CARTA E IL SUPPORTO DEL DISCO SONO ACCOPPIATI MEDIANTE UNO SPECIALE TRATTAMENTO CHE RENDE IL PRODOTTO PIU' ELASTICO E PIU'RESISTENTE SULLE SUPERFICI CURVE. IL SUPPORTO DELL'ABRASIVO E' IN FILM POLIESTERE CHE PERMETTE UN'ECCEZIONALE ELASTICITA'.

LA SCELTA DELLA CORRETTA GAMMA DA UTILIZZARE DIPENDE MOLTO DALLE PECULIARITA' D' UTILIZZO, MECCANOCAR SUGGERISCE LE SEGUENTI POSSIBILI APPLICAZIONI:

	Carrozzeria Auto/V.I.	Carrozzeria Auto/V.I.	Lavorazioni Metallo/Legno	Lavorazioni Metallo/Legno	Carrozzeria Auto/V.I. Nautica Lavorazioni Metallo	Carrozzeria Auto/V.I. Nautica Lavorazioni Metallo
GRANA	SERIE SUN 9 FORI	SERIE SUN 15 FORI	SERIE MOON 7FORI	SERIE MOON 9 FORI	SERIE MARS 15 FORI	SERIE MARS SENZA FORI
40	●	●	●	●		
60	●	●	●	●	●	
80	●	●	●	●	●	
100	●	●	●	●	●	
120	●	●	●	●	●	
150	●	●	●	●	●	
180	●	●	●	●	●	
220	●	●	●	●	●	
240	●	●	●	●	●	
280	●	●	●	●	●	
320	●	●	●	●	●	
360	●	●	●	●	●	
400	●	●	●	●	●	
500	●	●	●	●	●	
600	●	●	●	●	●	
800	●	●	●	●	●	
1000	●	●	●	●	●	
1200	●	●	●	●		●
1500	●	●	●	●		●
2000						●
2500						●
3000						●

TUTTI I DISCHI DELLA SERIE MECCANOCAR SONO ACCOPPIABILI CON I NOSTRI PLATORELLI E INTERFACCIE SOFFICE COME RIPORTATO A LATO

	DISCHI SENZA FORI	DISCHI 7 FORI	DISCHI 9 FORI	DISCHI 15 FORI
PLATORELLO VELCRATO	342 01 00400 - 20	342 01 00500 - 66/7	342 01 00600 - 66/9	342 01 02075 - 66/21
INTERFACCIA SOFFICE	QUALSIASI MODELLO	342 01 02060 - 67/7	342 01 02070 - 67/9	342 01 02080 - 67/21

**Velcro Abrasive disks Ø 150 series Sun**


- Designed for the field of autobody and industrial vehicles thanks to their high capacity of removal of materials and low propensity to clogging of the disc.
- The abrasive and support are coupled by a double phenol resin which guarantees a perfect seal of the product also in big trouble.
- The disc and consists in a lightweight paper in grits from 150 to 1500 and a more heavy from 40 to 120 guarantees excellent performance in all stages of processing.
- The abrasive used an aluminum oxide surface treated with a steartura designed for the automotive industry which makes it great also in the machining of products more "hard" as may be steel and wood.

4

Code	Desc.	Grain	Type
3340201000	150X40/S	P40	Abrasive disks sun 9 holes (8 + central)
3340201010	150X60/S	P60	Abrasive disks sun 9 holes (8 + central)
3340201020	150X80/S	P80	Abrasive disks sun 9 holes (8 + central)
3340201030	150X100/S	P100	Abrasive disks sun 9 holes (8 + central)
3340201040	150X120/S	P120	Abrasive disks sun 9 holes (8 + central)
3340201050	150X150/S	P150	Abrasive disks sun 9 holes (8 + central)
3340201060	150X180/S	P180	Abrasive disks sun 9 holes (8 + central)
3340201070	150X220/S	P220	Abrasive disks sun 9 holes (8 + central)
3340201080	150X240/S	P240	Abrasive disks sun 9 holes (8 + central)
3340201090	150X280/S	P280	Abrasive disks sun 9 holes (8 + central)
3340202000	150X320/S	P320	Abrasive disks sun 9 holes (8 + central)
3340202010	150X360/S	P360	Abrasive disks sun 9 holes (8 + central)
3340202020	150X400/S	P400	Abrasive disks sun 9 holes (8 + central)
3340202030	150X500/S	P500	Abrasive disks sun 9 holes (8 + central)
3340202040	150X600/S	P600	Abrasive disks sun 9 holes (8 + central)
3340202050	150X800/S	P800	Abrasive disks sun 9 holes (8 + central)
3340202060	150X1000/S	P1000	Abrasive disks sun 9 holes (8 + central)
3340202070	150X1200/S	P1200	Abrasive disks sun 9 holes (8 + central)
3340202080	150X1500/S	P1500	Abrasive disks sun 9 holes (8 + central)
3340600010	150X40/S	P40	Abrasive disks sun 15 holes (14 + central)
3340600020	150X60/S	P60	Abrasive disks sun 15 holes (14 + central)
3340600030	150X80/S	P80	Abrasive disks sun 15 holes (14 + central)
3340600040	150X100/S	P100	Abrasive disks sun 15 holes (14 + central)
3340600050	150X120/S	P120	Abrasive disks sun 15 holes (14 + central)
3340600060	150X150/S	P150	Abrasive disks sun 15 holes (14 + central)
3340600070	150X180/S	P180	Abrasive disks sun 15 holes (14 + central)
3340600080	150X220/S	P220	Abrasive disks sun 15 holes (14 + central)
3340600090	150X240/S	P240	Abrasive disks sun 15 holes (14 + central)
3340600100	150X280/S	P280	Abrasive disks sun 15 holes (14 + central)
3340600110	150X320/S	P320	Abrasive disks sun 15 holes (14 + central)
3340600120	150X360/S	P360	Abrasive disks sun 15 holes (14 + central)
3340600130	150X400/S	P400	Abrasive disks sun 15 holes (14 + central)
3340600140	150X500/S	P500	Abrasive disks sun 15 holes (14 + central)
3340600150	150X600/S	P600	Abrasive disks sun 15 holes (14 + central)
3340600160	150X800/S	P800	Abrasive disks sun 15 holes (14 + central)
3340600170	150X1000/S	P1000	Abrasive disks sun 15 holes (14 + central)
3340600180	150X1200/S	P1200	Abrasive disks sun 15 holes (14 + central)
3340600190	150X1500/S	P1500	Abrasive disks sun 15 holes (14 + central)

## Velcro Abrasive disks Ø 150 series Moon



- The abrasive disks moon series are particularly suitable for industries, metal and wood thanks to their high capacity of removal materials and low propensity to clogging of the disc.
- The disc support, lightweight type, makes the product extremely performante especially in fine grains (150 to 1500).
- The abrasive in aluminum oxide.



Code	Desc.	Grain	Type
3340200150	150X40	P40	Abrasive Disks Moon 9 Holes (8 + Central)
3340200160	150X60	P60	Abrasive Disks Moon 9 Holes (8 + Central)
3340200180	150X100	P100	Abrasive Disks Moon 9 Holes (8 + Central)
3340200190	150X120	P120	Abrasive Disks Moon 9 Holes (8 + Central)
3340200210	150X180	P180	Abrasive Disks Moon 9 Holes (8 + Central)
3340200220	150X220	P220	Abrasive Disks Moon 9 Holes (8 + Central)
3340200230	150X240	P240	Abrasive Disks Moon 9 Holes (8 + Central)
3340200240	150X280	P280	Abrasive Disks Moon 9 Holes (8 + Central)
3340200250	150X320	P320	Abrasive Disks Moon 9 Holes (8 + Central)
3340200260	150X360	P360	Abrasive Disks Moon 9 Holes (8 + Central)
3340200270	150X400	P400	Abrasive Disks Moon 9 Holes (8 + Central)
3340200280	150X500	P500	Abrasive Disks Moon 9 Holes (8 + Central)
3340200290	150X600	P600	Abrasive Disks Moon 9 Holes (8 + Central)
3340200300	150X800	P800	Abrasive Disks Moon 9 Holes (8 + Central)
3340200310	150X1000	P1000	Abrasive Disks Moon 9 Holes (8 + Central)
3340200320	150X1200	P1200	Abrasive Disks Moon 9 Holes (8 + Central)
3340200330	150X1500	P1500	Abrasive Disks Moon 9 Holes (8 + Central)
3340100150	150X40	P40	Abrasive Disks Moon 7 Holes (6 + Central)
3340100160	150X60	P60	Abrasive Disks Moon 7 Holes (6 + Central)
3340100170	150X80	P80	Abrasive Disks Moon 7 Holes (6 + Central)
3340100180	150X100	P100	Abrasive Disks Moon 7 Holes (6 + Central)
3340100190	150X120	P120	Abrasive Disks Moon 7 Holes (6 + Central)
3340100200	150X150	P150	Abrasive Disks Moon 7 Holes (6 + Central)
3340100210	150X180	P180	Abrasive Disks Moon 7 Holes (6 + Central)
3340100220	150X220	P220	Abrasive Disks Moon 7 Holes (6 + Central)
3340100230	150X240	P240	Abrasive Disks Moon 7 Holes (6 + Central)
3340100240	150X280	P280	Abrasive Disks Moon 7 Holes (6 + Central)
3340100250	150X320	P320	Abrasive Disks Moon 7 Holes (6 + Central)
3340100260	150X360	P360	Abrasive Disks Moon 7 Holes (6 + Central)
3340100270	150X400	P400	Abrasive Disks Moon 7 Holes (6 + Central)
3340100280	150X500	P500	Abrasive Disks Moon 7 Holes (6 + Central)
3340100290	150X600	P600	Abrasive Disks Moon 7 Holes (6 + Central)
3340100300	150X800	P800	Abrasive Disks Moon 7 Holes (6 + Central)
3340100310	150X1000	P1000	Abrasive Disks Moon 7 Holes (6 + Central)
3340100320	150X1200	P1200	Abrasive Disks Moon 7 Holes (6 + Central)
3340100330	150X1500	P1500	Abrasive Disks Moon 7 Holes (6 + Central)

**Velcro Abrasive disks Ø 150 series Mars**


- The abrasive disks Mars series represent the top of the range offer Meccanocar and are particularly suitable for marine, automotive and any activity 'where' request processing extremely efficient and accurate.
- The series Mars and 'produced with a particular media polyester film that minimizes the risk of rupture of the disc caused by machining of corners and uneven surfaces.
- The abrasive is an oxide of aluminum with double phenolic resin and special treatment which reduces to the maximum the clogging of the disc.
- The polyester film backing minimizes the overheating of the disk thus avoiding clogging during machining of soft materials (eg. The bottom or transparent). This feature makes it very useful in the marine industry for the gel coat surfaces.
- Grit: from 60 to 15 holes in 1000 (particularly suitable for automotive and marine).
- Grain from 1200 to 3000 without holes (indicated in all finishing processes or polishing)

Code	Desc.	Grain	Puncture	Type
3340601000	150X60/M	P60	15 holes	ABRASIVE MARS DISKS
3340601010	150X80/M	P80	15 holes	ABRASIVE MARS DISKS
3340601020	150X100/M	P100	15 holes	ABRASIVE MARS DISKS
3340601030	150X120/M	P120	15 holes	ABRASIVE MARS DISKS
3340601040	150X150/M	P150	15 holes	ABRASIVE MARS DISKS
3340601050	150X180/M	P180	15 holes	ABRASIVE MARS DISKS
3340601060	150X220/M	P220	15 holes	ABRASIVE MARS DISKS
3340601070	150X240/M	P240	15 holes	ABRASIVE MARS DISKS
3340601080	150X280/M	P280	15 holes	ABRASIVE MARS DISKS
3340601090	150X320/M	P320	15 holes	ABRASIVE MARS DISKS
3340601100	150X360/M	P360	15 holes	ABRASIVE MARS DISKS
3340601110	150X400/M	P400	15 holes	ABRASIVE MARS DISKS
3340601120	150X500/M	P500	15 holes	ABRASIVE MARS DISKS
3340601130	150X600/M	P600	15 holes	ABRASIVE MARS DISKS
3340601140	150X800/M	P800	15 holes	ABRASIVE MARS DISKS
3340601150	150X1000/M	P1000	15 holes	ABRASIVE MARS DISKS
3340000020	150X1500/M	P1500	without holes	ABRASIVE MARS DISKS
3340000030	150X2000/M	P2000	without holes	ABRASIVE MARS DISKS
3340000040	150X2500/M	P2500	without holes	ABRASIVE MARS DISKS
3340000050	150X3000/M	P3000	without holes	ABRASIVE MARS DISKS

## Velcro Abrasive disks with soft sponge



- Velcro abrasive disks drilled diameter of 150 mm for finishing operations prior to painting, corrections of defects and matting of paints. They allow fast machining with considerable saving of time without the use of soft interfaces.
- Suitable for machining preparation for painting, correcting defects of large entities and preparation for polishing of old paint in bodywork.
- Product with a long duration and the extreme practicality, allows to speed machining typically made by hand or using chemical products. Possibility of use in dry or wet, with machines or with random orbital sanding pads velcro hand.

Code	Description	Diameter mm	Grain	Grana P
3340101000	10M	150	Medium	500
3340101010	10F	150	Fine	800
3340101020	10SF	150	Superfine	1000
3340101030	10MF	150	Microfine	1500

## Velcro diskettes daisy D. 35 mm



- Mini abrasive disks with Velcro attachment, large ultrafine, for the removal of all imperfections such as dirty, drippings, bubbles, etc.
- Usable both dry and wet swab using the appropriate dual surface, hard and soft.
- The grain used allows excellent surface finish.
- HOW TO USE:
- Make sure the paint surface is clean and free of dust.
- Lightly wet with water the point to be treated.
- Apply the disk of one of the faces of the swab and go with light and circular until the elimination of imperfection.
- Subsequently treat with fine abrasive paste and polish to restore the original luster.



Code	Desc.	Grain	Article
3340100500	40x1200	1200	DAISY DISKETTE
3340100600	40x1500	1500	DAISY DISKETTE
3340100700	40x2000	2000	DAISY DISKETTE
3340100800	40x3000	3000	DAISY DISKETTE
3420102090	68	/	MANUAL PAD

## Blade remove dirty



- Special tool for removing paint defects such as dirty, drippings, bubbles, etc.
- The special carbide blade can remove the defect in one step, cutting sharply as a razor blade.
- After the cutting of the defect, just restore the original luster through a fine abrasive paste and polish.
- Supplied with special support magnetic, with a face to attack Velcro diskette daisy diameter 35 mm.

Code	Desc.
3420102100	69

## Velcro abrasive diskettes diameter 75 mm



- Velcro abrasive diskettes without holes with plastic film backing tightness material.
- Suitable for sanding bodywork repairs cars, motorcycles, trucks, fiberglass boats. Particularly suitable for the processing of polyester fillers and plastics.
- Used dry or wet, they do not tear, do not crumble at the edges, long life without clogging. Lubrication and cooling of the machined surface excellent.
- For their use and 'should be combined with our mini random orbital sander air cod. 418 00 08120-5715 or, alternatively, the mini polisher - sander cod. 418 00 08130-5720.

Code	Desc.	Grain	Diam. mm
3340500050	75X120	120	75
3340500060	75X150	150	75
3340500070	75X180	180	75
3340500080	75X220	220	75
3340500100	75X280	280	75
3340500110	75X320	320	75
3340500130	75X400	400	75
3340500160	75X800	800	75
3340500190	75X1500	1500	75
3340500250	75X2500	2500	75

## Abrasive sponges double-sided



- Sponges super fluffy with abrasive on both faces for work preparation and finishing in the bodywork on complex surfaces. Use dry or wet mixing of fillers, resins and coatings.
- Suitable for machining preparation for painting, correcting defects of large entities and preparation for polishing of old paint in bodywork.
- The quality of the abrasive and the gluing system on the sponge support make the product highly flexible and able to adapt to any surface. The great life than similar products make it economically viable.
- The coloring of the abrasive facilitates the choice of the grain to use.



Code	Description	Grain	Grana P	Color	Measures (mm)
3420000460	35F	Fine	800	Brown	120 X 100 X 13
3420000470	35SF	Super fine	1000	Green	120 X 100 X 13
3420000480	35UF	Ultra fine	1500	Violet	120 X 100 X 13

## Sponge wipers coated abrasives



- Wipes with a soft sponge semi abrasive side, for preparatory works and finishing body on complex surfaces. Use dry or wet mixing of fillers, resins and coatings.
- Suitable for machining preparation for painting, correcting defects of large entities and preparation for polishing of old paint in bodywork.
- Studied the density of the foam allows the cloth to fit in all the curved surfaces of the body. The whole is joined to a pleasantness to the touch that has no equal, for the best control the abrasive action by the operator.
- The consistency of the support allows to work in all areas of difficult access. The coloring of the abrasive facilitates the choice of the grain to use.

Code	Description	Grain	Grana P	Color	Measures (mm)
3420000490	36M	Medium	500	Grey	137 X 115 X 5
3420000500	36F	Fine	800	Orange	137 X 115 X 5
3420000510	36SF	Super fine	1000	Blue	137 X 115 X 5
3420000520	36UF	Ultra fine	1500	Green	137 X 115 X 5
3420000530	36MF	Micro fine	2500	Grey	137 X 115 X 5

## Abrasive sponges



- Abrasive synthetic fiber.
- To finish treatment of normal or orbital sander.
- For wood, metal, plastics, leather and glass.

Code	Desc.	Grain	Formato mm	Color
3420000010	1-120x280	FINE	120x280	Brown
3420000020	2-120x280	ULTRA FINE	120x280	Grey



4

## Rolls-waste soft abrasive



- Roll of paper dry abrasive coupled to foam at the back, for sanding hand finishing of car bodies.
- Great for finishing of body parts in areas rounded concave or convex.
- The construction with foam rubber eliminates any problem of sanding marks, allowing to distribute the pressure of the fingers of the hand in a uniform manner.
- Paper support highly flexible, semi-open coating process, abrasive aluminum oxide treated with stearate anti-clogging special.
- Supplied in packs of 115 mm. x 25 meters, pre-cut to 125 mm

Code	Desc.	Article
3460002000	150 S	115 mm.x25 meters P150
3460002010	180 S	115 mm.x25 metersP180
3460002020	220 S	115 mm.x25 meters P220
3460002030	240 S	115 mm.x25 meters P240
3460002040	280 S	115 mm.x25 meters P280
3460002050	320 S	115 mm.x25 meters P320
3460002060	360 S	115 mm.x25 meters P360
3460002070	400 S	115 mm.x25 meters P400
3460002080	500 S	115 mm.x25 metersP500
3460002090	600 S	115 mm.x25 meters P600
3460002100	800 S	115 mm.x25 metersP800
3460002120	1000 S	115 mm.x25 metersP1000



Costruito con gommapiuma sul retro



## Abrasive strips with Velcro and holes - 127x72 mm



- Pre-cut strips of abrasive paper with Velcro and holes for use by hand with the relevant pads.
- Suitable for use in bodywork, fibreglass working, carpentry, metal working, etc.
- Clog-proof stearate coated paper with ultra-strong backing, for durable use and a lack of powdering on the abrasives. Excellent grip over Velcro surface, holes for dust extraction during machining.
- Available in the best used measurements with classic hole sizes.

Code	Desc.	Grana P
3460002300	40/127x72	40
3460002310	60/127x72	60
3460002320	80/127x72	80
3460002330	100/127x72	100
3460002340	120/127x72	120
3460002350	150/127x72	150
3460002360	180/127x72	180
3460002370	220/127x72	220
3460002380	240/127x72	240
3460002390	280/127x72	280
3460002400	320/127x72	320
3460002410	360/127x72	360
3460002420	400/127x72	400



## Abrasive strips with Velcro and holes - 190x72 mm



- Pre-cut strips of abrasive paper with Velcro and holes for use by hand with the relevant pads.
- Suitable for use in bodywork, fibreglass working, carpentry, metal working, etc.
- Clog-proof stearate coated paper with ultra-strong backing, for durable use and a lack of powdering on the abrasives. Excellent grip over Velcro surface, holes for dust extraction during machining.
- Available in the best used measurements with classic hole sizes.

Code	Desc.	Grana P
3460002450	40/190x72	40
3460002460	60/190x72	60
3460002470	80/190x72	80
3460002480	100/190x72	100
3460002490	120/190x72	120
3460002500	150/190x72	150
3460002510	180/190x72	180
3460002520	220/190x72	220
3460002530	240/190x72	240
3460002540	280/190x72	280
3460002550	320/190x72	320
3460002560	360/190x72	360
3460002570	400/190x72	400


## Abrasive strips with Velcro and holes - 400x70 mm



- Pre-cut strips of abrasive paper with Velcro and holes for use by hand with the relevant pads.
- Suitable for use in bodywork, fibreglass working, carpentry, metal working, etc.
- Clog-proof stearate coated paper with ultra-strong backing, for durable use and a lack of powdering on the abrasives. Excellent grip over Velcro surface, holes for dust extraction during machining.
- Available in the best used measurements with classic hole sizes.

Code	Desc.	Grana P
3460002600	40/400x70	40
3460002610	60/400x70	60
3460002620	80/400x70	80
3460002630	100/400x70	100
3460002640	120/400x70	120
3460002650	150/400x70	150
3460002660	180/400x70	180
3460002670	220/400x70	220
3460002680	240/400x70	240
3460002690	280/400x70	280
3460002700	320/400x70	320
3460002710	360/400x70	360
3460002720	400/400x70	400

## Velcro universal Backing pads 150 mm



- Backing pads for application on orbital sanders, 150 mm diameter., Universal drilling for the use of discs with 6, 7, 9, 15 and 21 holes.
- Available with male connection 5/16 UNF for our machines and 4180008270-5860 4180008280-5870, rupes machines and universal, and bayonet exclusive machine festo.

Code	Desc.	Attachment	For machines
3420100500	66/7	5/16 UNF	7 holes - Meccanocar, Rupes, universal
3420100600	66/9	5/16 UNF	9 holes - Meccanocar, Rupes, universal
3420102075	66/21	5/16 UNF	6-7-9-15-21 holes - Meccanocar, Rupes, including universal Festo
3420100400	20	5/16 UNF	Without holes

## Interfaces soft velcro




- Soft pads in foam rubber with double velcro, for mounting on all of velcro pads orbital sanders 150 mm diameter.
- Allow to quickly transform the hardness of a circular plate to adapt it to any type of processing. particularly suitable for machining of corners and edges.
- Increase the length of the pad and abrasive disks.
- Cushion thickness: 10 mm.



Code	Desc.	For pads
3420102060	67/7	Velcro 6-7 hole diameter 150 mm.
3420102070	67/9	Velcro 8-9 hole diameter 150 mm.
3420102080	67/21	Universal for diskette velcro 6-7-8-9-15-21 diameter holes 150

## Interface soft velcro 75 mm




- Interface sponge with Velcro to the use of grinders or sanders which our codes 418 or 418 00 00 08120-5715 08130-5720 pad with diameter 75 mm. ideal for use of our discs velcro.
- Allows to vary at will the pressure on the machined surface and a uniform support of the abrasive allowing work more 'precise and longer life of a wild pads and abrasive disks.

Code	Desc.
3420102200	74

## Support for sanding



- Support for sanding by hand for use with abrasive discs to tear diameter 150mm. and not perforated.
- Product suitable for body shop, and metalworking in general.
- Suitable for sanding, roughing and satins hand of all metals.
- Ergonomic handle for work with less effort and in less time. product foam to fit all surfaces, also concave and convex



Code	Description
3420100050	50 - Support for sanding

## Support for sanding with extraction



- Support for hand sanding in foam material, complete with coupling for dust extraction, with tear-off surface for use with Velcro discs and any type of hole.
- Product recommended for use on vehicle bodywork, boats, carpentry, and metal working in general.
- Can be used for finish and rough sanding, as well as satin finishing of all metals.
- Ergonomic grip to work with less effort and save time, soft foam body, rotary coupling on the back for extraction of machining dust.
- Size: 200 x 85 x 55 mm.

Code	Desc.
3420102380	96

## Pad for hand sanding with extraction



- Rectangular pads for hand sanding in foam material, complete with coupling for dust extraction, with tear-off surface for use with Velcro abrasive strips, with or without holes.
- Products recommended for use on vehicle bodywork, boats, carpentry, and metal working in general.
- Can be used for finish and rough sanding, as well as satin finishing of all metals.
- Ergonomic grip to work with less effort and save time, soft foam body, rotary coupling on the back for extraction of machining dust.
- Size: large model 220 x 72 x 65 mm. Small model 160 x 72 x 62 mm.

Code	Desc.	Dim. piastra mm	N. holes
3420102450	103	192x70	8
3420102420	100	125x70	8

## Concave and convex interfaces for pads



- Bored interfaces with double Velcro fastening to convert the flat version of our pads, code no. 3420100070 and 3420100080 into concave or convex pads.
- Designed specifically to polish rounded surfaces in all sectors.

Code	Desc.	Dimensions	Form	N. holes
3420102460	104	192x70	Concave	8
3420102470	105	192x70	Convex	8
3420102430	101	125x70	Concave	8
3420102440	102	125x70	Convex	8

## Flat block file 70x400 mm with extraction



- Rectangular block file in nylon for hand sanding extensive flat surfaces, complete with coupling for dust extraction, with tear-off surface for use with Velcro abrasive strips, with or without holes.
- Products recommended for use on vehicle bodywork, boats, carpentry, and metal working in general.
- Ergonomic grip to work with less effort and save time. Rigid shockproof nylon body, polyurethane foam plate, rotary coupling on the back for extraction of machining dust.
- Size: 430 x 70 x 145 mm.

Code	Desc.	Dim. piastra mm	N. holes
3420102370	95	400x70	14

## Interfaces convexas pour tasseau-lime




- Interfaces convexas souples perforées et non-perforées pour l'emploi de notre tasseau-lime code 3420100310 avec surfaces arrondies.
- Prise à double Velcro pour l'emploi avec nos bandes Velcro pré-coupées.

Code	Desc.	Dimensione mm	N. holes
3420102410	99	400x70	14
3420102400	98	400x70	0

**Flexible round block 150 mm**


- Flexible block in polyurethane foam, with round shape, diameter 150 mm, Velcro coupling and handgrip knob.
- Designed for polishing and manual hand buffing operations, microfibre pads, wool pads, contamination remover discs, etc.
- Flexible edges allow the pad to follow any type of curved shape on the surface being processed. Comfy, practical handgrip for less operator fatigue.



Code	Desc.	Diam. mm
3420102390	97	150

4

**Headphones lamb attack Velcro 180 mm**


- Domes lambswool 100% for polishing faster without overheating. velcro surface for quick installation.
- Built with rounded edges for added security and working to get into corners and edges.
- Two types of cut: light and medium. the first paint delicate, remove the marks left by the headphones more 'aggressive and combined with our fine abrasive gel cod. 411 00 17050-4190 can remove sanding scratches P1500-P2000. The average for conventional paints and hard, remove the marks left by the headphones more 'aggressive and combined with our fine abrasive gel code 411 00 17050-4190 can togliere signs of carteggiara P1200-P1500.

Particolare attacco velcro

Code	Desc.	Diam. mm	Taglio	Ø attacco per platorello
3420102180	73/F	180	Medium	150
3420102190	73/L	180	Light	150

**Tamponi in resina smussati attacco velcro per lucidatura**


- Tipo W8 colore arancio. Duro.
- Per operazioni di lucidatura (sgrossatura) con paste abrasive.
- Indicato per la sua durezza nel periodo estivo.

Code	Desc.	Measure mm
3420100810	41W8	160x60



- Type W65 tobacco color. Semi-hard.
- For polishing (roughing) with abrasive pastes.
- It indicated by its hardness in winter.

Code	Desc.	Measure mm
3420100820	41W65	160x60



- Type W5 yellow. Semi-soft.
- For polishing with abrasive paste polish or purposes.

Code	Desc.	Measure mm
3420100830	41W5	160x60



- Type W2 white. Soft.
- For polishing with abrasive paste polish or purposes.

Code	Desc.	Measure mm
3420100840	41W2	160x60



### Waffle polishing pad 160 mm



- Sponge pad with waffle surface and Velcro fastening. External diameter 160 mm, for polishing with all types of paste, polish and gel, with rotary and DA sanders.
- Recommended for rough polishing and polishing bodywork for all types of pain and gelcoat on fibreglass surfaces.
- Waffle surfaces have the dual purpose of keeping treated surfaces and pastes cold, prolonging the effectiveness and avoiding product waste. The waffle surface collects the excess paste and allow longer use compared to smooth pads.
- Available in a choice of three consistencies, distinguishable from the colour of the pads.

Code	Desc.	Dimensions mm	Consistency	Color
3420102490	107H	160 X 20	Hard	Blue
3420102500	107M	160 X 20	Medium	Grey
3420102510	107S	160 X 20	Soft	Purple


### Rusticated attack Velcro pads 75 mm



- Tampons resin ashlar with Velcro attachment 75 mm diameter for polishing of any type of painted surface or plastic.
- Usable by all the body shops for final polishing and correction of equipment of paint defects in small areas allowing for flawless finish and ultimate shine. natural parts of our headlight restoration kit code 411 00 18010-4645. W8 resin available in two densities: hard orange for use with abrasive paste large and medium for fast stock removal, soft blue color for use with polish pastes and final polishing for a great finish without signs.
- The indentation allows a perfect support of the area to avoid the formation of streaks and holograms. excellent cooling of the machined surface and pastes used.
- To use velcro pads are available our code 342 02230-76 01-M6 with M6 attack, and code 342 00 02240-76-5 / 16 with connection 5/16 "unf.

Code	Desc.	Color	Density
3420102210	75/D	Orange	Hard
3420102220	75/M	Light Blue	Soft

## Disco decontaminante premium 160 mm



- Disco decontaminante con attacco velcro di diametro 160 mm per qualsiasi tipo di vernice, gelcoat, plastiche, cromature, cristalli. Permette di rimuovere in modo semplice e veloce fumi di verniciatura, macchie dovute all'acqua, resina di piante, sporco ferroviario, polvere dei freni, sporco ed inquinamento accumulatisi sulle carrozzerie.
- Indicato nelle carrozzerie per la decontaminazione prima della lucidatura, per le concessionarie ed i rivenditori auto per rinnovare le carrozzerie, nella nautica sulle imbarcazioni, nel settore moto, ecc.
- Di utilizzo semplicissimo, tramite lucidatrice rotorbitale o a mano con il nostro tassello rotondo codice 3420102490. La superficie da trattare deve essere pulita ed asciutta, deve essere lubrificata con il nostro Polish lucidante N-T codice 4110016600. Passare il disco decontaminante senza esercitare pressione su tutta la superficie fino a sentirla completamente liscia e libera da impurità.
- Il disco decontaminante può essere lavato con acqua e pulito dopo l'uso o nel caso cada per terra, può essere utilizzato tantissime volte ed è stato testato per il trattamento fino ad 80 automezzi.

Code	Desc.
3420102480	106

## Flexible 147 mm Velcro Backing pad.



- Backing pad for polishing and sander, female thread m14, velcro surface, suitable for the application of our pads resin cod. 342 01 or headphones in wool 150 mm diameter.
- The soft edge allows it to operate even in the corners and edges without damaging the paint.
- The construction foam improves the grip and absorbs the excess pressure on the machine sander / polisher.

Code	Desc.	Diam. mm	Female attachment
3420102160	71	147	M 14



## Velcro Backing pads diameter 75 mm



- Velcro Backing pads diameter 75 mm mounted and used on orbital sanders and polishers air.
- Indispensable for the use of abrasive disks and pads sponge.
- Available with two attachments to suit all machines on the market.
- Natural parts of our machines for grinding and polishing codes 418 00 and 418 00 08120 to 5715 from 08,130 to 5,720.
- Black pad with rigid support, interface foam rubber and male thread M6. yellow pad made of flexible foam, metal core and male thread 5/16 ".

Code	Desc.	Article
3420102230	76-M6	Backing pad black attack M6
3420102240	76-5/16	Yellow Backing pad attack 5/16 "(7.8 mm)

## Dust wiper "White Tampon"



- Dust wiper for painting, indispensable for the preparation of bodies of each vehicle.
- Indicated for body shops of light and heavy vehicles.
- Made of gauze, they are soaked in a special resin which removes any impurities' from the surfaces to be painted, has antistatic effect for preventing dust deposits, increases the adhesion of all types of paint improving the final result.
- Greatly reduces contamination of the paint dirt eliminating the formation of "nibs" and the need 'to touch up bodywork in painting completed.
- HOW TO USE:
- Wipe the surface to be painted after antisilicone, let it dry and paint a few seconds with the normal procedures.
- The cloth and 'disposable.

Code	Desc.	Gauze dimension mm	Pieces per package
4460008520	4120	800x350	5

## Dust wiper for water-based paints “White Tampon H2O”



- Dust cloth for painting with water paint, which is essential for the preparation of bodies of each vehicle. Indicated for autocarrozzerie of light and heavy vehicles.
- Made of gauze, are soaked in a special resin specially developed for modern water-based paints that removes any impurities' from the surfaces to be painted, has antistatic effect for preventing dust deposits, increases the adhesion of all types of paint by improving the final result.
- The resin contained substantially eliminates the possibility 'of sagging and the formation of orange peel.
- Greatly reduces contamination of the paint dirt eliminating the formation of "nibs" and the need 'to touch up bodywork in painting completed.
- HOW TO USE:
- Wipe the surface to be painted after antisilicone, let it dry and paint a few seconds with the normal procedures.
- The cloth and 'disposable.

Code	Desc.	Gauze dimension mm	Pieces per package
4460008525	4130	800x350	5

## Cotone per lucidatura



- Cotone idrofilo bianco.
- Prodotto per pulizia e lucidatura in carrozzeria non si sfalda, non lascia peli sulle superfici.

Code	Desc.
4460008500	4100