

Hammer German type



- With blocking system of the handle.
- DIN 1041.
- High tensile steel.
- Painted head shaped handle.

Code	Desc.	Weight gr.
4430013300	229-300	300
4430013310	229-400	400
4430013320	229-500	500
4430013330	229-600	600
4430013340	229-1000	1000
4430013350	229-1500	1500
4430013360	229-2000	2000

Handles for hammers



- Shaped wood.

Code	Desc.	For hammer gr.	Length mm
4430014100	237-300	300	300
4430014110	237-400	400	310
4430014120	237-500	500	320
4430014130	237-600	600	350
4430014140	237-800	800	360
4430014150	237-1000	1000	360
4430014160	237-1500	1500	380
4430014170	237-2000	2000	400

Hammer mechanics



- Steel swing with gouache differentiated.
- Anatomic handle security.
- Balancing constant.
- Maximum guarantee of safety against accidents.
- Synthetic handle with blocking system.

Code	Desc.	Weight gr.
4430045635	601-300	300
4430045640	601-500	500

Hammer for welders



- Hammer two-headed welder.
- For removing welding slag.
- Iron grip.

Code	Desc.
4430045642	602

Hammer for masons and mechanics



- According to DIN 6475.
- Shaped wooden handle.

Code	Desc.	Weight gr.
4430013900	235-800	800
4430013910	235-1000	1000
4430013920	235-1500	1500

Handle for power hammer



- Shaped wood.

Code	Desc.	For small mallet gr.	Length mm
4430014000	236-800	800	260
4430014010	236-1000	1000	260
4430014020	236-1500	1500	280

Power hammer safety



- Power hammer made of hardened steel.
- Balancing constant.
- Maximum guarantee of safety against accidents.
- Resin handle with sitema fraying.

Code	Desc.	Weight gr.
4430045740	609-800	800
4430045742	609-1000	1000

Mallet monolithic copper



- Strong beat.
- It does not damage the pieces.
- Safety plug for retaining the head.

Code	Desc.	Weight gr.
4430045660	604-500	500
4430045661	604-800	800
4430045662	604-1000	1000
4430045664	604-1500	1500

Plastic mallet



- Unbreakable plastic heads interchangeable.
- Wooden handle.

Code	Desc.	Ø testa mm	Weight gr.
4430013400	230-35	35	420
4430013410	230-45	45	770
4430013420	230-60	60	1440

Spare heads for art. 443-230 (per couple)



- Heads unbreakable plastic.

Code	Desc.	Ø testa mm
4430013500	231-35	35
4430013510	231-45	45
4430013520	231-60	60

Mallet debounced



- Do not recoil.
- Optimal precision in the rebate.
- Interchangeable heads resin.

Code	Desc.	Ø testa mm	Weight gr.
4430045615	600-35	35	530
4430045617	600-45	45	790
4430045619	600-60	60	1350

Spare heads for art. 443-600 (per couple)



- Heads in synthetic resin.

Code	Desc.	Ø testa mm
4430045625	600R-35	35
4430045627	600R-45	45
4430045629	600R-60	60

Monolithic black rubber mallet



- Tubular handle security.
- Oil-resistant rubber.

Code	Desc.	Weight gr.
4430045680	606	500
4430045680	606	500

Monolithic black rubber mallet



- Shaped wooden handle.
- 75 to 80 shore hardness.

Code	Desc.	Weight gr.
4430013810	234-50	300
4430013820	234-60	500
4430013830	234-70	600
4430013840	234-75	700

Series punches in numbers



- Nr. 9 numbers.

Code	Desc.	Height Sym. mm
4430045180	548-3	3
4430045185	548-8	8

Series punches in letters



- Nr. 27 letters.

Code	Desc.	Height Sym. mm
4430045388	578-8	8

Pointed chisel flat



PER IDRAULICI,
SERRAMENTISTI, FABBRI,
CARPENTIERI, MURATORI

- Made of chrome-vanadium hardened.
- High resistance. Marking quality 'GS'.
- The head of the chisel does not leave splinters during processing.
- Article 443 00 51690 to the norm DIN 7254B.
- Reversible blade tip.
- To use always with safety glasses, work gloves and Meccanocar with hand guard for chisels cod. 4430051750.

Code	Desc.	Length mm	Diameters	Weight gr.	L. Blade mm
4430051690	1055/250	250	16	380	23
4430051700	1055/300	300	16	420	26
4430051710	1055/400	400	18	900	28



Pointed chisel



PER IDRAULICI,
SERRAMENTISTI, FABBRI,
CARPENTIERI, MURATORI

- Made of chrome-vanadium hardened.
- High resistance. Quality marking GS.
- The head of the chisel does not leave splinters during processing.
- Article 443 00 51720 to the norm DIN 7256.
- Reversible blade tip.
- To use always with safety glasses, work gloves and Meccanocar with hand guard for chisels cod. 4430051750.

Code	Desc.	Length mm	Diameters	Weight gr.
4430051720	1056/250	250	16	365
4430051730	1056/300	300	16	445
4430051740	1056/400	400	18	750

Chisels for electricians



DA UTILIZZARE SEMPRE CON
OCCHIALI E GUANTI PER
PROTEZIONE MECCANOCAR

- Chisels for electricians.
- Made of chrome-vanadium hardened.
- High resistance.
- The head of the chisel does not leave splinters during processing.
- GS marked tool.
- Reversible blade tip.

Code	Desc.	Leng. mm	Ø	Weight gr.	Width mm
4430051760	1058/250	250	8	120	10
4430051770	1058/300	300	10	230	12

Hand guard for chisels



PIU' SICUREZZA
NEL LAVORO

- Rubber hand guard.
- GS marked.
- It fits on all chisels with octagonal diameter from 16 up to 20.
- High strength and practical non-slip grip.

Code	Desc.	Length mm	For chisels	Weight gr.
4430051750	1057	110	16 - 18 - 20	105


Flat chisel for mechanics



- Chisel flat oval.
- Chrome steel-vanadium.
- A DIN 6453 standards.
- Finish: gold lacquer, polished tip.
- Suitable for cutting sheet metal.

Code	Desc.	Fig.	Ø Gambo / mm	Lunghezza gambo mm
4430056320	1752-240	1	26x7	240
4430056322	1752P-240	2	26x7	240

Flat chisel bent for mechanics



- Chisel flat oval.
- Chrome steel-vanadium.
- Finish: gold lacquer, polished tip.
- Suitable for cutting sheet
- The special folding favors its use in cutting step of projecting parts code.

Code	Desc.	Stem measure mm	Lunghezza gambo mm
4430056325	1753-240	26x7	240



LA PARTICOLARE PIEGATURA NE FAVORISCE L'UTILIZZO IN FASE DI TAGLIO SU PARTI SPORGENTI

Hand guard for chisels



- Rubber hand guard.
- Suitable for all the chisels 26x7mm oval shank. head 85mm.
- Scalpel type the our art 1752-1752p-1753.

Code	Desc.	Misura head mm
4430056330	1754	85

Chisels for mechanics



- Chisel octagonal handle.
- Chrome steel-vanadium.
- A DIN 6453 standards.
- Finish: gold lacquer, polished tip.
- Suitable for cutting metal and sheet

Code	Desc.	Measure stem x Length mm	Width cut mm
4430056300	1750-10x125	10x125	12
4430056305	1750-10x150	10x150	12

Pointed chisel for mechanics



- Chisel octagonal handle.
- Chrome steel-vanadium.
- According to DIN 6451.
- Finish: gold lacquer, polished tip.
- Suitable for cutting metal sheet and finishes in confined spaces.

Code	Desc.	Measure <i>stem x Length mm</i>	Width <i>cut mm</i>
4430056310	1751-10x125	10x125	4

Awls



- Awl octagonal handle.
- Made of chrome-vanadium.
- A DIN 7250 standards.
- Finish: gold lacquer, polished tip.
- Suitable for marking metal and sheet

Code	Desc.	Measure <i>stem x Length mm</i>	Width <i>cut mm</i>
4430056335	1755-120x4	4x120	10
4430056340	1755-120x5	5x120	10

8

Punch octagonal handle



- Chrome-vanadium steel.
- F standards din 6458.
- Finish: gold lacquer, polished tip.
- Suitable for riveting metals and alloys

Code	Desc.	Measure <i>stem x Length mm</i>	Stem <i>octagonal</i>
4430056343	1756-120x1	1x120	10
4430056344	1756-120x2	2x120	10
4430056345	1756-120x3	3x120	10
4430056346	1756-120x4	4x120	10
4430056347	1756-120x5	5x120	10
4430056348	1756-120x6	6x120	10

Hunting pins



- Hunting plugs octagonal handle.
- Made of chrome-vanadium.
- A DIN 6450 standards.
- Finish: gold lacquer, polished tip.
- Suitable for extraction pins, screws etc.

Code	Desc.	Measure <i>length x Ø tip mm</i>	Stem <i>octagonal</i>
4430056350	1757-150x2	150x2	10
4430056355	1757-150x2,5	150x2,5	10
4430056360	1757-150x3	150x3	10
4430056365	1757-150x4	150x4	10
4430056370	1757-150x5	150x5	10
4430056375	1757-150x6	150x6	10
4430056380	1757-150x8	150x8	12
4430056385	1757-150x10	150x10	14

Handguard tool shank 10mm



- Handguard rubber-component.
- Suitable for all tools with shank 10mm.
- It gives the operator an adequate hand protection.
- For chisels, punches, punch.
- Head 30mm.

Code	Desc.	Misura head mm
4430056390	1758	85

Mixed series



- Mixed batch of chisels, punches and punch.
- Series of 6 pieces.
- On plastic support.

Code	Desc.
4430056395	1759

CONTENUTO			
	CODICE	DESCRIZIONE	Misura
1	443 00 56300	1750	10x125
1	443 00 56305	1750	10x150
1	443 00 56310	1751	10x125
1	443 00 56395	1755	120x4
1	443 00 56345	1756	120x3
1	443 00 56346	1756	120x4
1	supporto in plastica		

Mixed batch punches and punch



- Mixed batch of 6 pieces of punches and punch.
- On plastic support.

Code	Desc.
4430056400	1760

CONTENUTO			
	CODICE	DESCRIZIONE	Misura
1 punzone	443 00 56343	1756	120x1
1 punzone	443 00 56344	1756	120x2
1 punzone	443 00 56345	1756	120x3
1 punzone	443 00 56346	1756	120x4
1 punzone	443 00 56347	1756	120x5
1 punteruolo	443 00 56355	1755	120x4
1 supporto in plastica			

Pin punches Series



- Set of 6 pin punches.
- Plastic support.

Code	Desc.
4430056405	1761

CONTENUTO			
	CODICE	DESCRIZIONE	Misura
1 cacciaspine	443 00 56360	1757	150x3
1 cacciaspine	443 00 56365	1757	150x4
1 cacciaspine	443 00 56370	1757	150x5
1 cacciaspine	443 00 56375	1757	150x6
1 cacciaspine	443 00 56380	1757	150x8
1 cacciaspine	443 00 56385	1757	150x10
1 supporto in plastica			

8

Series punch with hand guard



- 5 Series punch with hand guard.
- In plastic box.
- The hand guard makes using tools degle safer.

Code	Desc.
4430056410	1762

CONTENUTO						
	CODICE	DESCR.	Misura		CODICE	DESCR.
1 cacciaspine	443 00 56350	1757	150x2	paramano	443 00 56390	1758
1 cacciaspine	443 00 56360	1757	150x3	paramano	443 00 56390	1758
1 cacciaspine	443 00 56365	1757	150x4	paramano	443 00 56390	1758
1 cacciaspine	443 00 56370	1757	150x5	paramano	443 00 56390	1758
1 cacciaspine	443 00 56375	1757	150x6	paramano	443 00 56390	1758
1 cassetta in materiale plastico						

Lever type disarmament French



- Lever disarmament (crowbar) forged steel with nail heads to open and chisel. Total length 600 mm.

Code	Desc.	Measure cm	Diam. mm
4430053950	1085/60	60	16

Set of four forged steel levers and tempered



- Complete set of four forged steel levers and tempered surface finish with burnished tip bent chisel and plastic handle.
- Useful in many situations and in every work, their strength allows it to be used as disarmament levers for opening boxes, such positioning levers, such as chisels and extractors and much more.
- The tip bent at 30 ° allows easy and convenient use, the extremely durable steel blade guarantees a long life and prevents any kind of accident during use.
- The complete set consists of the measures: 11 X 200 mm, 15 x 300 mm, 19 mm X 460, 19 X 600mm.

Code	Desc.
4770006770	747

