TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 1/16

Replaced revision:1 (Dated: 09/01/2020)

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 411 00 15510

Product name TWO-COMPONENT CARGO DETERGENT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Double layer detergent

1.3. Details of the supplier of the safety data sheet

Name Meccanocar Italia S.r.I.
Full address Via San Francesco, 22
District and Country 56033 Capannoli (PI)

Italy

Tel. +39 0587 609433 Fax +39 0587 607145

e-mail address of the competent person

responsible for the Safety Data Sheet moreno.meini@meccanocar.it

1.4. Emergency telephone number

For urgent inquiries refer to National Poisons Information Service: +44 121 507 4123

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B H314 Causes severe skin burns and eye damage. Serious eye damage, category 1 H318 Causes serious eye damage.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 2/16

Replaced revision:1 (Dated: 09/01/2020)



Signal words: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P264 Wash hands thoroughly after handling.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container in accordance with local regulation.

Contains: SODIUM HYDROXIDE

ETHOXYLATE ALCOHOL C13-C15

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

ETHYLENDIAMMINOTETRAACETA

TE OF TETRASODIUM

CAS 64-02-8 4,5 ≤ x < 5 Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Eye Dam. 1 H318

EC 200-573-9

INDEX 607-428-00-2

Reg. no. 01-2119486762-27-XXXX

SODIUM HYDROXIDE

CAS 1310-73-2 4,5 ≤ x < 5 Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318

EC 215-185-5

INDEX 011-002-00-6

2-BUTOXYETHANOL

CAS 111-76-2 $4,5 \le x < 5$ Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Eye Irrit. 2 H319,

Skin Irrit. 2 H315

EC 203-905-0

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 3/16

Replaced revision:1 (Dated: 09/01/2020)

INDEX 603-014-00-0

ETHOXYLATE ALCOHOL C13-C15

CAS 64425-86-1

 $4.5 \le x < 5$

Acute Tox. 4 H302, Eye Dam. 1 H318

EC 613-595-2

INDEX -

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 4/16

Replaced revision:1 (Dated: 09/01/2020)

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition,published 2018)
ITA	Italia	DIRETTIVA (UE) 2017/164 DELLA COMMISSIONE del 31 gennaio 2017
NOR	Norge	Fastsatt av Arbeids- og sosialdepartementet 21. august 2018 med hjemmel i lov 17. juni 2005 nr. 62 om arbeidsmiljø, arbeidstid, stillingsvern mv. (arbeidsmiljøloven) § 1-3, § 1-4 og § 4-5
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no
		trabalho - Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018
EU	OEL EU	Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive
		2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 5/16

Replaced revision:1 (Dated: 09/01/2020)

TLV-ACGIH

ACGIH 2019

Туре	Country	TWA/8h		STEL/15min		Remarks /		
		mg/m3	ppm	mg/m3	ppm	Observation	ns	
VLA	ESP	98	20	245	50	SKIN		
VLEP	FRA	49	10	246	50	SKIN		
WEL	GBR	123	25	246	50	SKIN		
VLEP	ITA	98	20	246	50	SKIN		
TLV	NOR	50	10			SKIN		
VLE	PRT	98	20	246	50	SKIN		
OEL	EU	98	20	246	50	SKIN		
TLV-ACGIH		97	20					
Predicted no-effect concentr	ration - PNEC							
Normal value in fresh water				8,8	mg/	1		
Normal value in marine water	er er			0,88	mg/	1		
Normal value for fresh water	r sediment			34,6	mg/	/kg		
Normal value for marine wat	ter sediment			3,46	mg/	/kg		
Normal value of STP microc	rganisms			463	mg/	1		
Normal value for the food ch	nain (secondary poiso	ning)		0,02	mg/	/kg		
Normal value for the terrestrial compartment				2,33	mg/	/kg		
Health - Derived no-eff		DMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		26,7 mg/kg		6,3 mg/kg		Зузістно		Systemic
Inhalation	147 mg/m3	bw/d 426 mg/m3		bw/d 59 mg/m3	246 mg/m3			98 mg/m3
Skin		89 mg/kg/d		75 mg/kg		89 mg/kg		125 mg/kg
				bw/d		bw/d		bw/d
SODIUM HYDROXIDE								
Threshold Limit Value	0	TWA/8h		OTEL Acres		Damada /		
Type	Country	I WA/8h		STEL/15min		Remarks / Observation	ns	
		mg/m3	ppm	mg/m3	ppm			
VLA	ESP			2				
VLEP	FRA	2						
	GBR			2				
	NOR	2						
WEL TLV				2 (C)	_			
TLV				2 (0)				
	Effects on	DMEL		2 (0)	Effects on workers			
TLV TLV-ACGIH		DMEL Acute systemic	Chronic local	Chronic systemic	Effects on workers Acute local	Acute systemic	Chronic local	Chronic systemic

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 6/16

Replaced revision:1 (Dated: 09/01/2020)

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		3				RESP
TLV-ACGIH		2				
TLV-ACGIH		10				INHAL
Predicted no-effect co	ncentration - PNEC					
Normal value in fresh	water			2,2	m	ng/l
Normal value in marin	e water			0,22	m	ng/l
Normal value for water	r, intermittent release			1,2	m	ng/l
Normal value of STP r	nicroorganisms			43	m	ng/l
Normal value for the te	errestrial compartment			0,72	m	ng/kg

Health - Derived no-effe	ect level - DNEL / D	MEL						
Effects on					Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Oral				25 mg/kg				
				bw/d				
Inhalation		1,2 mg/m3		0,6 mg/m3		3 mg/m3		1,5 mg/m3

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 7/16

Replaced revision:1 (Dated: 09/01/2020)

values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Suitable materials also with prolonged direct contact (Recommended: protection index 6, corresponding to> 480 minutes of breakthrough time according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid Colour yellow-green Odour characteristic Odour threshold Not available 11,40+/-0.50 Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available > 60 °C Flash point Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Not available Lower explosive limit Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density Not available Solubility Not available Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Not available Viscosity Not available Explosive properties

Not available

9.2. Other information

Oxidising properties

Information not available

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 8/16

Replaced revision:1 (Dated: 09/01/2020)

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

2-BUTOXYETHANOL

Decomposes under the effect of heat.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Decomposition temperature> 150 ° C

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-BUTOXYETHANOL

May react dangerously with: aluminium, oxidising agents. Forms peroxides with: air.

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

It can corrode metals in the presence of water or moisture

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BUTOXYETHANOL

Avoid exposure to: sources of heat,naked flames.

SODIUM HYDROXIDE

Avoid exposure to: air, moisture, sources of heat.

10.5. Incompatible materials

SODIUM HYDROXIDE

Incompatible with: strong acids,ammonia,zinc,lead,aluminium,water,flammable liquids.

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 9/16

Replaced revision:1 (Dated: 09/01/2020)

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Oxidizing agents, amphoteric metals and light metals

10.6. Hazardous decomposition products

2-BUTOXYETHANOL

May develop: hydrogen.

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation - mists / powders) of the mixture:

> 5 ma/l

LC50 (Inhalation - vapours) of the mixture:

> 20 mg/l

LD50 (Oral) of the mixture:

>2000 mg/kg

LD50 (Dermal) of the mixture:

>2000 mg/kg

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

LD50 (Oral) 1780 mg/kg Ratto (equivalente o similare a OECD 401)

SODIUM HYDROXIDE

LD50 (Oral) 1350 mg/kg Rat

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 10/16

Replaced revision:1 (Dated: 09/01/2020)

LD50 (Dermal) 1350 mg/kg Rat

2-BUTOXYETHANOL

LD50 (Oral) 615 mg/kg Rat

LD50 (Dermal) 405 mg/kg Rabbit

LC50 (Inhalation) 2,2 mg/l/4h Rat

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: equivalent or similar to OECD 401

Reliability: 2

Species: Rat (Wistar; male / female)

Route of exposure: oral Results: LD50 = 1780 mg / kg

Method: OECD 412 Reliability: 1

Species: Rat (wistar; male)

Route of exposure: inhalation (aerosol)

Results: harmful by inhalation

SKIN CORROSION / IRRITATION

Corrosive for the skin

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: OECD 404

Reliability: 1

Species: Rabbit (Vienna White) Route of exposure: cutaneous

Results: not irritating

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: equivalent or similar to OECD 405

Reliability: 2

Species: Rabbit (Vienna White) Route of exposure: ocular

Results: causes serious eye damage (Harmonized classification, Annex VI, CLP Reg.)

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: OECD 406 - Read across

Reliability: 1

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 11/16

Replaced revision:1 (Dated: 09/01/2020)

Species: guinea pig (Hartley; female) Route of exposure: cutaneous Results: non sensitizing

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: equivalent or similar to 471 - In vitro test

Reliability: 2

Species: S. typhimurium, E.Coli

Results: negative with and without metabolic activation

Method: OECD 474 - in vivo test

Reliability: 1

Species: Mouse (NMRI; male) Route of exposure: oral Results: negative.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Method: study report (1977)

Reliability: 2

Species: Mouse (B6C3F1; male / female)

Route of exposure: oral

Results: negative. NOAEL (carcinogenicity) = 938 mg / kg bw / day

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Reliability: 2

Species: Rat (Wistar; male / female)

Route of exposure: oral

Results: negative. NOAEL (reproduction)> = 250 mg / kg bw / day

Bibliographic reference: Oser, B.L. et al., Toxicology and Applied Pharmacology (1963)

Method: not indicated
Reliability: 2
Species: Rat (Albino)

Species: Rat (Albino) Route of exposure: oral

Results: negative. NOAEL (development, fetus)> = 1 374 mg / kg bw / day

Bibliographic reference: Schardein, J.L. et alb, Toxicology and Applied Pharmacology (1981)

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for single exposure.

STOT - REPEATED EXPOSURE

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 12/16

Replaced revision:1 (Dated: 09/01/2020)

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Based on available data, the substance may cause damage to organs through prolonged or repeated exposure and is therefore classified in this hazard class.

Target organ

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Respiratory tract

Route of exposure

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Inhalation

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM

Aspiration toxicity data are not available.

SECTION 12. Ecological information

12.1. Toxicity

Information not available

12.2. Persistence and degradability

ETHYLENDIAMMINOTETRAACETATE OF TETRASODIUM Not rapidly degradable, 0-10% in 28 days (OECD 302 B)

SODIUM HYDROXIDE

Solubility in water > 10000 mg/l

Degradability: information not available

2-BUTOXYETHANOL

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

2-BUTOXYETHANOL

Partition coefficient: n-octanol/water 0,81

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 13/16

Replaced revision:1 (Dated: 09/01/2020)

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Meccanocar Italia S.r.l.	Revision nr. 2 Dated 23/01/2020		
TWO-COMPONENT CARGO DETERGENT	Printed on 30/01/2020		
	Page n. 14/16		
	Replaced revision:1 (Dated: 09/01/2020)		
Not applicable			
14.5. Environmental hazards			
Not applicable			
14.6. Special precautions for user			
Not applicable			
Text applicable			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EC: None			
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
Product			
Point 3			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.			
Substances subject to authorisation (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:			
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			
None			
Healthcare controls			

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 15/16

Replaced revision:1 (Dated: 09/01/2020)

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 4 Acute toxicity, category 4

STOT RE 2 Specific target organ toxicity - repeated exposure, category 2

Skin Corr. 1ASkin corrosion, category 1ASkin Corr. 1BSkin corrosion, category 1BEye Dam. 1Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2
H290 May be corrosive to metals.
H302 Harmful if swallowed.

riaminin swanowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H315 Causes skin irritation.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

TWO-COMPONENT CARGO DETERGENT

Revision nr. 2

Dated 23/01/2020

Printed on 30/01/2020

Page n. 16/16

Replaced revision:1 (Dated: 09/01/2020)

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review:

The following sections were modified:

02 / 03 / 07 / 08 / 10 / 11 / 12.