Meccanoo	car Italia S.r.I.	Revision nr. 2
		Dated 17/02/2020
	LEANER OIL	Printed on 17/02/2020
		Page n. 1/12
		Replaced revision:1 (Dated: 08/05/2019)
Accord	Safety Data Sheet ing to Annex II to REACH - Regulation 2015/830	
SECTION 1. Identification of the subs	stance/mixture and of the company/under	taking
4.4. Des des tides tilles		
1.1. Product identifier Code:	411 00 20720-6382	
Product name	ENGINE CLEANER OIL	
1.2. Relevant identified uses of the substance or m Intended use Additive for internal e		
1.3. Details of the supplier of the safety data sheet		
Name	Meccanocar Italia S.r.I.	
Full address	Via San Francesco, 22	
District and Country	56033 Capannoli (PI) Italy	
	Tel. +39 0587 609433	
	Fax +39 0587 607145	
e-mail address of the competent person		
responsible for the Safety Data Sheet	moreno.meini@meccanocar.it	
1.4. Emergency telephone number For urgent inquiries refer to	National Poisons Information Service: +44 121 507 4123	
SECTION 2. Hazards identification		
2.1. Classification of the substance or mixture		

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Acute toxicity, category 4	H302	Harmful if swallowed.
Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Hazardous to the aquatic environment, chronic toxicity,	H411	Toxic to aquatic life with long lasting effects.
category 2		

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

	Meccanoca	ar Italia S.r.I.	Revision nr. 2 Dated 17/02/2020
		EANER OIL	Printed on 17/02/2020
			Page n. 2/12
			Replaced revision:1 (Dated: 08/05/2019)
	77		
Signal words:	Warning		
azard statements:			
H302	Harmful if swallowed.		
H319	Causes serious eye irritation.		
H315 H411	Causes skin irritation. Toxic to aquatic life with long	lasting effects.	
recautionary statements:			
P264 P280 P337+P313	Wash thoroughly after ha Wear protective gloves/ prote If eye irritation persists: Get r	ective clothing / eye protection / face protection.	
P273	Avoid release to the environn		
P391 P501	Collect spillage.	er in accordance with local regulations.	
.3. Other hazards	Dispose of contents / contain		
	ata, the product does not contain of the product does not contain the product does not contain the product does	in any PBT or vPvB in percentage greater than 0,19 on ingredients	%.
3.2. Mixtures			
contains:			
Identification ETHOXYLATED NONYL	x = Conc. % PHENOL	Classification 1272/2008 (CLP)	
CAS 9016-45-9 EC 500-024-6	0,3 ≤ x < 0,35	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Chro	onic 2 H411
INDEX -			
Reg. no. 01-2119946371	-39-XXXX		
ne full wording of hazard (I	H) phrases is given in section ?	16 of the sheet.	
SECTION 4 First			

SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020

Jaleu 17/02/2020

Printed on 17/02/2020 Page n. 3/12 Replaced revision:1 (Dated: 08/05/2019)

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020

Printed on 17/02/2020

Page n. 4/12

Replaced revision:1 (Dated: 08/05/2019)

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

ETHOXYLATED NONYL PHENOL

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020 Printed on 17/02/2020 Page n. 5/12 Replaced revision:1 (Dated: 08/05/2019)

Wear resistant gloves such as: neoprene, to prevent repeated or prolonged contact with the skin, wear waterproof clothes and boots.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	brown
Odour	typical
Odour threshold	Not available
рН	Not available
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 170 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0,88
Solubility	insoluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	32-46 cSt a 40°C
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020 Printed on 17/02/2020 Page n. 6/12 Replaced revision:1 (Dated: 08/05/2019)

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

ETHOXYLATED NONYL PHENOL

Strong mineral acids, strong oxidizing agents

10.6. Hazardous decomposition products

ETHOXYLATED NONYL PHENOL

Carbon oxides

SECTION 11. Toxicological information

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component) LD50 (Oral) of the mixture: Not classified (no significant component) LD50 (Dermal) of the mixture: Not classified (no significant component)

ETHOXYLATED NONYL PHENOL

Method: Equivalent or similar to EU Method B.1

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020 Printed on 17/02/2020 Page n. 7/12 Replaced revision:1 (Dated: 08/05/2019)

Reliability: 2 Species: Mouse Route of exposure: Oral Results: LD50 = 4290 mg / kg bw

SKIN CORROSION / IRRITATION

Causes skin irritation

ETHOXYLATED NONYL PHENOL

Method: Equivalent or similar to EU Method B.40 Reliability: 2 Species: Rabbit (New Zealand White) Route of exposure: Dermal Results: Not irritating

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

ETHOXYLATED NONYL PHENOL

Method: Equivalent or similar to EU Method B.5 Reliability: 2 Species: Rabbit (New Zealand White) Route of exposure: Ocular Results: Not indicated

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

ETHOXYLATED NONYL PHENOL

Method: Equivalent or similar to EU Method B.6 Reliability: 2 Species: guinea pig (Hartley) Route of exposure: Dermal Results: Not sensitizing

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

ETHOXYLATED NONYL PHENOL

Method: Equivalent or similar to OECD 471 in vitro test Reliability: 2 Species: S. typhimurium Results: Negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020 Printed on 17/02/2020 Page n. 8/12 Replaced revision:1 (Dated: 08/05/2019)

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

ETHOXYLATED NONYL PHENOL

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for single exposure.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ETHOXYLATED NONYL PHENOL

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for repeated or prolonged exposure.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment. 12.1. Toxicity

ETHOXYLATED NONYL PHENOL	
EC50 - for Algae / Aquatic Plants	20 mg/l/72h
12.2. Persistence and degradability	
ETHOXYLATED NONYL PHENOL Easily degradable in water, 97% in 30 days.	
ETHOXYLATED NONYL PHENOL	
Solubility in water	> 10000 mg/l
Rapidly degradable 12.3. Bioaccumulative potential	
ETHOXYLATED NONYL PHENOL	
Partition coefficient: n-octanol/water	3,7
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	

ENGINE CLEANER OIL

Revision nr. 2 Dated 17/02/2020 Printed on 17/02/2020 Page n. 9/12 Replaced revision:1 (Dated: 08/05/2019)

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

ETHOXYLATED NONYL PHENOL The recommended disposal is by incineration in approved plants.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

	Meccan	ocar Italia S.r.l.	Revision nr. 2 Dated 17/02/2020
	ENGINE	CLEANER OIL	Printed on 17/02/2020
			Page n. 10/12
			Replaced revision:1 (Dated: 08/05/2019)
14.5. Environmental hazards	5		
Not applicable			
14.6. Special precautions for	r user		
Not applicable			
14.7. Transport in bulk acco	rding to Annex II of M	arpol and the IBC Code	
Information not relevant			
SECTION 15. Regul	atory information	on	
15.1. Safety, health and en	vironmental regulatio	ns/legislation specific for the substance or r	nixture
Seveso Category - Directive 2	012/18/EC: E2		
Restrictions relating to the pro-	duct or contained subs	tances pursuant to Annex XVII to EC Regulation	1907/2006
Product			
Point	3		
Contained substance			
Point	46	ETHOXYLATED	
1 om	40	NONYL PHENOL Reg. no.: 01-	
		2119946371-39- XXXX	
Substances in Condidate List			
Substances in Candidate List			
ETHOXYLATED NONYL PHE	NOL		
Reg. no.: 01-2119946371-39->	XXXX		
Substances subject to authoris	sation (Annex XIV REA	<u>CH)</u>	
ETHOXYLATED NONYL PHE	NOL		
Reg. no.: 01-2119946371-39->	xxxx		
Sunset Date: 04/01/2021			
Substances subject to exporta	tion reporting pursuant	to (EC) Reg. 649/2012:	
	pareadin		

ENGINE CLEANER OIL

Revision nr. 2

Dated 17/02/2020

Printed on 17/02/2020 Page n. 11/12

Replaced revision:1 (Dated: 08/05/2019)

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H411	Toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
 REACH: EC Regulation 1907/2006
- PID: Population concerning the
- RID: Regulation concerning the international transport of dangerous goods by train

Meccanocar Italia S.r.I.	Revision nr. 2
	Dated 17/02/2020
ENGINE CLEANER OIL	Printed on 17/02/2020
	Page n. 12/12
	Replaced revision:1 (Dated: 08/05/2019)
TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German).	
SENERAL BIBLIOGRAPHY . Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 2015/830 of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 2015/2011 (II Atp. CLP) of the European Parliament 5. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 618/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 941/2013 (V Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP) of the European Parliament 13. Regulation (EU) 2016/1179 (IX Atp. CLP) 14. Regulation (EU) 2017/776 (X Atp. CLP) 15. Regulation (EU) 2018/480 (XIII Atp. CLP) 16. Regulation (EU) 2018/1480 (XIII Atp. CLP) 17. Regulation (EU) 2018/1480 (XIII Atp. CLP) 17. Regulation (EU) 2018/251 (XII Atp. CLP) 18. Regulation (EU) 2019/521 (XII Atp. CLP) 19. Regulation (EU) 2019/521 (XII Atp. CLP) 19. Regulation (EU) 2019/521 (XII Atp. CLP) 10. Regulation (EU) 2019/521 (XII Atp. CLP) 10. Regulation (EU) 2019/521 (XII Atp. CLP) 11. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition 16A GESTIS website	
ECHA website Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy Note for users: The information contained in the present sheet are based on our own knowledge on the date of the last very horoughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibilit	, , ,
aws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless of	

Changes to previous review: The following sections were modified: 02 / 03 / 08 / 09 / 10 / 11 / 12 / 13 / 15 / 16.