Meccan	ocar Italia S.r.l.	Revision nr. 1
		Dated 07/07/2020
		First compilation
VAS		Printed on 07/07/2020
VAS		Page n. 1/12
L		
	Safety Data S	heet
٨٥٥	ording to Annex II to REACH - Re	
Acci		-guiation 2013/850
SECTION 1. Identification of the su	bstance/mixture and o	t the company/undertaking
1.1. Product identifier		
Code: Product name	411 00 00008-8 VASELLINA OIL	
EC number	232-455-8	
CAS number	8042-47-5	
Registration Number	01-2119487078-27-XXXX	
1.2. Relevant identified uses of the substance or	r mixture and uses advised aga	linst
Intended use White oil for lubric		
1.3. Details of the supplier of the safety data she	et	
Name	Meccanocar Italia S.r.I.	
Full address	Via San Francesco, 22	
District and Country	56033 Capannoli (PI)	
	Italy	
	Tel. +39 0587 609433	
	Fax +39 0587 607145	
	1 4x +55 0507 007 145	
e-mail address of the competent person		
responsible for the Safety Data Sheet	moreno.meini@meccanoca	ar.it
1.4. Emergency telephone number		
For urgent inquiries refer to	National Poisons Informati	on Service: +44 121 507 4123
<b>SECTION 2.</b> Hazards identification		
2.1. Classification of the substance or mixture		
The product is classified as bazardous pursuant to	the provisions set forth in (EC)	Regulation 1272/2008 (CLP) (and subsequent amendments an
supplements). The product thus requires a safety data		
Any additional information concerning the risks for he		
Hazard classification and indication:		
Aspiration hazard, category 1	H304	May be fatal if swallowed and enters airways.
2.2. Label elements		
Hazard labelling pursuant to EC Regulation 1272/200	8 (CLP) and subsequent amend	ments and supplements.
Hazard pictograms:		

	Meccanocar Italia S.r.I.	Revision nr. 1
		Dated 07/07/2020
		First compilation
	VASELLINA OIL	Printed on 07/07/2020
		Page n. 2/12
•		
Signal words:	Danger	
Hazard statements:		
hazard statements.		
H304	May be fatal if swallowed and enters airways.	
Precautionary statem	ents:	
P331	Do NOT induce vomiting.	
P301+P310	IF SWALLOWED: immediately call a POISON CENTER / doctor.	

Contains: VASELINE OIL

Nr. EC:

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3. Composition/information on ingredients**

232-455-8

#### 3.1. Substances

Contains:

 Identification
 Conc. %
 Classification 1272/2008 (CLP)

 VASELINE OIL

 CAS 8042-47-5
 100
 Asp. Tox. 1 H304

 EC 232-455-8

 INDEX 

 Reg. no. 01-2119487078-27-XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### Revision nr. 1 Meccanocar Italia S.r.I. Dated 07/07/2020 First compilation Printed on 07/07/2020

# **VASELLINA OIL**

Page n. 3/12

### 4.2. Most important symptoms and effects, both acute and delayed

Information not available

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

## 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

## 5.3. Advice for firefighters

## GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

## 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

## 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Meccanocar Italia S.r.I.	Revision nr. 1 Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 4/12
	·
SECTION 7. Handling and storage	
7.1. Precautions for safe handling	

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## **SECTION 8. Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References:

TLV-ACGIH

ACGIH 2019

### VASELINE OIL

Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks Observat		
		mg/m3	ppm	mg/m3	ppm			
TLV-ACGIH		5		10				
Health - Derived no-ef	fect level - DNEL / [	OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
Inhalation				34,78 mg/m3				164,56 mg/m3
Skin				93,02 mg/kg bw/d				217,05 mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Meccanocar Italia S.r.I.	Revision nr. 1
	Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 5/12

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	viscous liquid
Colour	biancastro
Odour	typical
Odour threshold	Not available
рН	Not available
Melting point / freezing point	Not available
Initial boiling point	218 °C
Boiling range	643 °C
Flash point	115 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	2
Relative density	Not available
Solubility	soluble

## Meccanocar Italia S.r.l.

Revision nr. 1 Dated 07/07/2020

First compilation

## VASELLINA OIL

Printed on 07/07/2020 Page n. 6/12

Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	10-11 cSt
Explosive properties	Not available
Oxidising properties	Not available

### 9.2. Other information

Information not available

## **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available

## **SECTION 11. Toxicological information**

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Meccanocar Italia S.r.I.	Revision nr. 1
	Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 7/12

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

VASELINE OIL

LD50 (Oral) > 5000 mg/kg Rat

LD50 (Dermal) > 2000 mg/kg Rabbit

LC50 (Inhalation) > 5 mg/l/4h Rat

### **SKIN CORROSION / IRRITATION**

Does not meet the classification criteria for this hazard class

Method: Equivalent or similar to OECD Guideline 404 Reliability: 1 Species: Rabbit (New Zealand White) Route of exposure: Dermal Results: Not irritating

### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

Method: Equivalent or similar to OECD Guideline 405 Reliability: 1 Species: Rabbit (New Zealand White) Route of exposure: Ocular Results: Not irritating

### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Skin sensitization Method: Equivalent or similar to OECD Guideline 406 Reliability: 1 Species: guinea pig (Hartley; male) Route of exposure: Dermal Results: Not sensitizing

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

Method: Equivalent or similar to OECD Guideline 476-in vitro test Reliability: 2

## Meccanocar Italia S.r.l.

## VASELLINA OIL

Species: Mouse (lymphoma) Results: Negative

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

Method: OECD Guideline 453 Reliability: 1 Species: Rat (CDF (F-344) / CrIBR; male / female) Route of exposure: Oral Results: NOAEL> = 1 200 mg / kg bw / day

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility Method: Equivalent or similar to OECD Guideline 415 Reliability: 2 Species: Rat (Sprague-Dawley; male / female) Route of exposure: Dermal Results: NOAEL> = 2 000 mg / kg bw / day

Adverse effects on development of the offspring Method: Equivalent or similar to OECD Guideline 414 Reliability: 2 Species: Rat (Sprague-Dawley) Route of exposure: Oral Results: NOAEL> 5 000 mg / kg bw / day

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for single exposure.

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Method: OECD Guideline 453 Reliability: 1 Species: Rat (CDF (F-344) / CrIBR; male / female) Route of exposure: Oral Results: NOAEL> = 1 200 mg / kg bw / day (nominal) Method: Equivalent or similar to OECD Guideline 412 Reliability: 2 Species: Rat (Sprague-Dawley; male / female) Route of exposure: Inhalation (aerosol) Results: NOEL 50 mg / m<sup>3</sup> air Method: OECD Guideline 411 Reliability: 1 Species: Rat (Sprague-Dawley; male / female) Route of exposure: Dermal Results: NOAEL> = 2 000 mg / kg bw / day

ASPIRATION HAZARD

Toxic for aspiration

Dated 07/07/2020 First compilation Printed on 07/07/2020

Page n. 8/12

Revision nr. 1

Meccanocar Italia S.r.I.	Revision nr. 1
	Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 9/12

## **SECTION 12. Ecological information**

### 12.1. Toxicity

Information not available

### 12.2. Persistence and degradability

Information not available

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## **SECTION 13. Disposal considerations**

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14.** Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

Meccanocar Italia S.r.I.	Revision nr. 1
	Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 10/12

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

### **SECTION 15. Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

### Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3

### Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Meccanocar Italia S.r.I.	Revision nr. 1
	Dated 07/07/2020
	First compilation
VASELLINA OIL	Printed on 07/07/2020
	Page n. 11/12

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Asp. Tox. 1	Aspiration hazard, category 1
H304	May be fatal if swallowed and enters airways.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
   REACH: EC Regulation 1907/2006
- NLAUT. EU REGULATION 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

## Meccanocar Italia S.r.l.

Revision nr. 1

Dated 07/07/2020 First compilation

## **VASELLINA OIL**

Printed on 07/07/2020 Page n. 12/12

TLV: Threshold Limit Value

- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- Regulation (EU) 2013/030 of the European Parliament
   Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
   Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
   Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.