

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: 4110022370  
Product name: CLEANER FOR CUSHIONS AND TEAK  
UFI : S990-M02K-200E-3N9Q

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Detergent for external cushions and teak floors

#### 1.3. Details of the supplier of the safety data sheet

Name: Meccanocar Italia S.r.l.  
Full address: Via San Francesco, 22  
District and Country: 56033 Capannoli (PI)  
Italy

Tel. +39 0587 609433

Fax +39 0587 607145

e-mail address of the competent person

responsible for the Safety Data Sheet: moreno.meini@meccanocar.it  
Supplier:

#### 1.4. Emergency telephone number

For urgent inquiries refer to: National Poisons Information Service: +44 121 507 4123

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1

H318

Causes serious eye damage.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

## 4110022370 - CLEANER FOR CUSHIONS AND TEAK



Signal words: Danger

Hazard statements:

**H318** Causes serious eye damage.

Precautionary statements:

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P280** Wear eye protection / face protection.

**P310** Immediately call a POISON CENTER / doctor.

Contains:

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE  
1-HEPTANOL, 2-PROPYL, 7EO  
ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

## SECTION 3. Composition/information on ingredients

### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<b>TETRASODIUM ETHYLENE DIAMINE TETRAACETATE</b>		
INDEX 607-428-00-2	$4,5 \leq x < 5$	Acute Tox. 4 H302, Eye Dam. 1 H318
EC 200-573-9		LD50 Oral: 1780 mg/kg
CAS 64-02-8		
<b>1-HEPTANOL, 2-PROPYL, 7EO</b>		
INDEX -	$2,5 \leq x < 3$	Acute Tox. 4 H302, Eye Dam. 1 H318
EC 605-233-7		STA Oral: 500 mg/kg
CAS 160875-66-1		
<b>ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED</b>		
INDEX -	$2,5 \leq x < 3$	Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412
EC 500-457-0		

**4110022370 - CLEANER FOR CUSHIONS AND TEAK**

CAS 160901-19-9

REACH Reg. 01-2119486762-27-XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**SECTION 4. First aid measures****4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture****HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

**5.3. Advice for firefighters****GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any

contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED								
Predicted no-effect concentration - PNEC								
Normal value in fresh water				0,08	mg/l			
Normal value in marine water				0,008	mg/l			
Normal value for fresh water sediment				63,83	mg/kg			
Normal value for marine water sediment				6,38	mg/kg			
Normal value of STP microorganisms				10	mg/l			
Normal value for the terrestrial compartment				1	mg/kg			
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				25 mg/kg bw/d				
Inhalation				87 mg/m3				294 mg/m3

<b>Meccanocar Italia S.r.l.</b>	Revision nr. 1 Dated 22/02/2024 First compilation
<b>4110022370 - CLEANER FOR CUSHIONS AND TEAK</b>	Printed on 22/02/2024 Page n. 5/15

Skin	1250 mg/kg bw/d	2080 mg/kg bw/d
------	--------------------	--------------------

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.  
When choosing personal protective equipment, ask your chemical substance supplier for advice.  
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.  
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.  
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.  
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.  
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

Respiratory protection: personal respiratory protection devices are normally not required. In inadequately ventilated areas, where the workplace limits are exceeded, where unpleasant odors exist or where aerosols are present or smoke and fog occur, use a self-contained breathing apparatus or self-contained breathing apparatus with type A filter or appropriate combined filter (e.g. where aerosol or smoke and mist, A-P2 or ABEK-P2 are used), in accordance with EN 141.  
Hand protection: the choice of an appropriate glove depends not only on its material but also on other quality characteristics and is different from one manufacturer to another. Observe the permeability and breakthrough time instructions provided by the supplier gloves. Also consider the specific local conditions in which the product is used, such as the danger of cuts, abrasions and contact time., Bear in mind that in daily use the durability of a chemical resistant protective glove can be significantly less than the breakthrough time measured according to EN 374, due to numerous external influences (e.g. temperature).  
gloves suitable for permanent contact: Material: butyl rubber; Permeation time:> = 480 min; Material thickness:> = 0.7 mm  
gloves suitable for splash protection: Material: nitrile rubber / nitrile latex; Permeation time:> = 30 min; Material thickness:> = 0.4 mm  
Eye protection: tight fitting safety glasses  
Skin and body protection: protective suit.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	liquid	
Colour	green	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	8,4	
Kinematic viscosity	not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,2	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

## 4110022370 - CLEANER FOR CUSHIONS AND TEAK

**10.4. Conditions to avoid**

None in particular. However the usual precautions used for chemical products should be respected.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

No decomposition if stored normally.

**SECTION 11. Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

Meccanocar Italia S.r.l.		Revision nr. 1
		Dated 22/02/2024
		First compilation
4110022370 - CLEANER FOR CUSHIONS AND TEAK		Printed on 22/02/2024
		Page n. 8/15
TETRASODIUM ETHYLENE DIAMINE TETRAACETATE		
LD50 (Oral):		1780 mg/kg
1-HEPTANOL, 2-PROPYL, 7EO		
STA (Oral):		500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED		
Method: Equivalent or similar to OECD 401		
Reliability: 2		
Species: Rat (Wistar; male / female)		
Route of exposure: Oral		
Results: LD50 = 13627 mg / kg bw		
Method: Equivalent or similar to OECD 403		
Reliability: 2		
Species: Rat (Sprague-Dawley; male / female)		
Route of exposure: Inhalation (aerosol)		
Results: LC50> 1.6 mg / L air		
Method: OECD 402		
Reliability: 2		
Species: Rat (Wistar; male / female)		
Route of exposure: Dermal		
Results: LD50> 2000 mg / kg bw		
<u>SKIN CORROSION / IRRITATION</u>		
Does not meet the classification criteria for this hazard class		
ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED		
Method: Equivalent or similar to OECD 404		
Reliability: 2		
Species: Rabbit (New Zealand White)		
Route of exposure: Dermal		
Results: Not classified		
<u>SERIOUS EYE DAMAGE / IRRITATION</u>		
Causes serious eye damage		
ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED		
Method: Equivalent or similar to OECD 405-Read across		
Reliability: 1		
Species: Rabbit (New Zealand White)		
Route of exposure: Ocular		
Results: Not classified		
<u>RESPIRATORY OR SKIN SENSITISATION</u>		



Does not meet the classification criteria for this hazard class

Skin sensitization

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED  
Method: Equivalent or similar to OECD 406  
Reliability: 2  
Species: guinea pig (Breeding Unit; male / female)  
Route of exposure: Dermal  
Results: Not classified

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED  
Method: Equivalent or similar to OECD 473 in vitro test  
Reliability: 2  
Species: Chinese hamster  
Results: Negative with and without metabolic activation

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED  
Method: Equivalent or similar to OECD 416  
Reliability: 2  
Species: Rat (Fischer 344; male / female)  
Route of exposure: Dermal  
Results: NOAEL (fertility)> = 250 mg / kg bw / day

Adverse effects on development of the offspring

**4110022370 - CLEANER FOR CUSHIONS AND TEAK**

## ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

Method: Equivalent or similar to OECD 416-Read across

Reliability: 2

Species: Rat (Fischer 344)

Route of exposure: Dermal

Results: NOAEL (development)&gt; = 250 mg / kg bw / day

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

## ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

Based on available data and through expert judgment the substance is not classified in the target organ toxicity class for single exposure.

## 1-HEPTANOL, 2-PROPYL, 7EO

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for single exposure.

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

## ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

Method: Equivalent or similar to OECD 408-Read across

Reliability: 2

Species: Rat (Wistar; male / female)

Route of exposure: Oral

Results: NOAEL&gt; = 500 mg / kg bw / day

## 1-HEPTANOL, 2-PROPYL, 7EO

Based on available data and through expert judgment, the substance is not classified in the target organ toxicity class for prolonged or repeated exposure.

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information**

**12.1. Toxicity**

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE	
LC50 - for Fish	> 100 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	140 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h Raphidocelis subcapitata
Chronic NOEC for Fish	35,1 mg/l Danio rerio
Chronic NOEC for Crustacea	25 mg/l Daphnia magna

**12.2. Persistence and degradability**

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED  
Easily degradable in water, 95% in 28 days.  
TETRASODIUM ETHYLENE DIAMINE  
TETRAACETATE  
NOT rapidly degradable

**12.3. Bioaccumulative potential**

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE	
BCF	1,8

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations**

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

ALCOHOLS, C12-13- BRANCHED AND LINEAR, ETHOXYLATED

Meccanocar Italia S.r.l.	Revision nr. 1 Dated 22/02/2024 First compilation
4110022370 - CLEANER FOR CUSHIONS AND TEAK	Printed on 22/02/2024 Page n. 12/15

It can be incinerated if it complies with local regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

**4110022370 - CLEANER FOR CUSHIONS AND TEAK**

<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Aquatic Acute 1</b>	Hazardous to the aquatic environment, acute toxicity, category 1
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>H302</b>	Harmful if swallowed.
<b>H318</b>	Causes serious eye damage.
<b>H400</b>	Very toxic to aquatic life.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148

**4110022370 - CLEANER FOR CUSHIONS AND TEAK**

- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.